

# **Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China**

**Bureau of Animal and Plant Health Inspection and Quarantine  
Council of Agriculture  
Executive Yuan**

In case of any discrepancy between the Chinese text and the English translation thereof,  
the Chinese text shall govern.

Updated November 26, 2009

## Quarantine Requirements for The Importation of Plants or Plant Products into The Republic of China

### A. Prohibited Plants or Plant Products

Pursuant to Paragraph 1, Article 14, Plant Protection and Quarantine Act

1. List of prohibited plants or plant products, countries or districts of origin and the reasons for prohibition:

Plants or Plant Products	Countries or Districts of Origin	Reasons for Prohibition
1. Entire or any part of the following living plants (excluding seeds): (1) <i>Brachiaria</i> spp. (2) <i>Echinochloa</i> spp. (3) <i>Panicum</i> spp. (4) <i>Paspalum</i> spp. (5) <i>Oryza</i> spp., <i>Leersia hexandra</i> , <i>Sacciolepis interrupta</i> (6) <i>Rottboellia</i> spp. (7) <i>Triticum aestivum</i>	All countries and districts	1. <i>Rice hoja blanca virus</i> ( <i>Tenuivirus</i> ) 2. <i>Rice dwarf virus</i> ( <i>Phytoreovirus</i> ) 3. Rice stem nematode ( <i>Ditylenchus angustus</i> Butler)
2. Entire or any part of the following living plants (excluding seeds) (1) <i>Calystegia</i> spp. (2) <i>Dioscorea japonica</i> (3) <i>Ipomoea</i> spp. (4) <i>Pharbitis</i> spp.	style="text-align: center;"> <b>Asia and Pacific Region</b> (1) Palau (2) China (3) Cook Islands (4) Federated States of Micronesia (5) Fiji (6) Guam (7) Kiribati (8) New Caledonia (9) Norfolk Island (10) Northern Mariana Islands (11) Pitcairn Islands (12) Polynesia (13) Ryukyu Archipelago (14) Samoa (15) Tonga (16) Vanuatu (17) Wallis and Futuna style="text-align: center;"> <b>North America</b> (18) Hawaii (19) United States style="text-align: center;"> <b>Central and South America</b> (20) Antigua and Barbuda (21) Bahamas (22) Barbados (23) Cuba (24) Dominica (25) Dominican Republic (26) Grenada (27) Guadeloupe	West Indian sweet potato weevil ( <i>Euscepes postfasciatus</i> Fairmaire)

	(28) Haiti (29) Jamaica (30) Lesser Antilles (31) Martinique (32) Montserrat (33) Puerto Rico (34) Saint Christopher and Nevis (35) Saint Lucia (36) Saint Vincent and the Grenadines (37) Trinidad and Tobago (38) Virgin Islands (British) (39) Virgin Islands (United States) (40) All countries and districts in South America	
3. Underground portion and adventitious root of all living plants, excluding the following plants: (1) <i>Agave</i> spp. (2) <i>Allium</i> spp. (3) <i>Amaryllis</i> spp. = <i>Hippeastrum</i> spp. (4) <i>Arctium lappa</i> (5) <i>Asparagus officinalis</i> (6) Bryophyta (7) Cactaceae (8) <i>Cannabis</i> spp. (9) <i>Codiaeum</i> spp. (10) <i>Dianthus</i> spp. (11) <i>Epipactis longifolia</i> (12) <i>Euphorbia</i> spp. (13) <i>Freesia</i> spp. (14) <i>Geranium</i> spp. (15) <i>Hyacinthus</i> spp. (16) <i>Iris</i> spp. (17) <i>Juglans</i> spp. (18) <i>Lilium</i> spp. (19) <i>Malus</i> spp. (20) <i>Marchantia polymorpha</i> (21) <i>Muscari</i> spp. (22) Orchidaceae (23) <i>Pastinaca sativa</i> (24) <i>Pelargonium</i> spp. (25) <i>Prunus</i> spp.; (excluding <i>P. persica</i> ) (26) Pteridophyte (27) <i>Rhododendron</i> spp. (excluding <i>R. indicum</i> ) (28) <i>Rhoeo discolor</i> (29) <i>Rosa</i> spp.	<b>Asia and Pacific Region</b> (1) American Samoa (2) Australia(Northern Territory, New South Wales, Queensland, South Australia, Western Australia) (3) Belau (4) Brunei Darussalam (5) Cook Islands (6) Federated states of Micronesia (7) Fiji (8) French Polynesia (9) Guam (10) India (11) Indonesia (12) Lebanon (13) Malaysia (14) Nepal (15) Niue (16) Norfolk Island (17) Oman (18) Pakistan (19) Papua New Guinea (20) Philippines (21) Samoa (22) Singapore (23) Solomon Islands (24) Sri Lanka (25) Thailand (26) Tonga (27) Vietnam (28) Yemen <b>Africa</b> (29) Countries in Africa <b>Europe</b> (30) Belgium	Burrowing nematode ( <i>Radopholus similis</i> (Cobb)Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan)

<p>(30) <i>Rubus</i> spp.  (31) <i>Sagittaria</i> spp.  (32) tuber of <i>Solanum tuberosum</i>  (33) <i>Tulipa</i> spp.  (34) <i>Vitis vinifera</i>  (35) Flower bulbs without fresh roots (excluding <i>Canna</i> spp. , <i>Musa</i> spp. and Zingiberaceae)</p>	<p>(31) France  (32) Germany  (33) Italy  (34) Luxembourg  (35) Netherlands  (36) Poland  (37) Slovenia  (38) United Kingdom  <b>North America</b>  (39) Mexico  (40) United States (excluding Alaska and California)  <b>Central and South America</b>  (41) Barbados  (42) Belize  (43) Bolivia  (44) Brazil  (45) Colombia  (46) Costa Rica  (47) Cuba  (48) Dominica  (49) Dominican Republic  (50) Ecuador  (51) El Salvador  (52) French Guiana  (53) French West Indies  (54) Grenada  (55) Guadeloupe  (56) Guatemala  (57) Guyana  (58) Honduras  (59) Jamaica  (60) Martinique  (61) Nicaragua  (62) Panama  (63) Peru  (64) Puerto Rico  (65) St. Christopher &amp; Nevis  (66) Saint Lucia  (67) Saint Vincent and the Grenadines  (68) Trinidad and Tobago  (69) Suriname  (70) Virgin Islands (United States)  (71) Venezuela</p>	
<p>4. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Asia and Pacific Region</b>  (1) Australia  (2) Indonesia  (3) Cyprus  (4) Israel  (5) Lebanon</p>	<p><i>Citrus psorosis virus</i>  (<i>Ophiovirus</i>)</p>

	<p>(6) China  (7) Malaysia  (8) Philippines  (9) Saudi Arabia  (10) Syrian  (11) Turkey</p> <p style="text-align: center;"><b>Africa</b></p> <p>(12) Algeria  (13) Egypt  (14) Democratic Republic of the Congo  (15) Kenya  (16) Libyan  (17) Morocco  (18) Tunisia</p> <p style="text-align: center;"><b>Europe</b></p> <p>(19) Albania  (20) Bosnia and Herzegovina  (21) Croatia  (22) France  (23) Greece  (24) Italy  (25) Malta  (26) Monaco  (27) Portugal  (28) Slovenia  (29) Spain  (30) Yugoslavia</p> <p style="text-align: center;"><b>North America</b></p> <p>(31) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(32) Brazil  (33) Chile  (34) Colombia  (35) Mexico  (36) Peru  (36) Suriname  (37) Uruguay</p>	
<p>5. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) :</p> <p>(1) <i>Calodendrum capense</i>  (2) <i>Catharanthus roseus</i>  (3) <i>Citrus</i> spp.  (4) <i>Fortunella</i> spp.  (5) <i>Poncirus</i> spp.</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Saudi Arabia  (2) Yemen</p> <p style="text-align: center;"><b>Africa</b></p> <p>(3) Burundi  (4) Cameroon  (5) Central African Republic  (6) Comoros  (7) Ethiopia  (8) Kenya  (9) Lesotho  (10) Madagascar  (11) Malawi</p>	<p>African greening of citrus  (<i>Candidatus Liberibacter africanus</i> Garnier <i>et al.</i>)</p>

	(12) Mauritius (13) Reunion (14) Rwanda (15) Somalia (16) South Africa (17) Swaziland (18) Tanzania (19) Zimbabwe	
6. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Indonesia (2) China (3) Malaysia <b>Central and South America</b> (4) All countries and districts in South America	Stem pitting strains of <i>Citrus tristeza virus</i> ( <i>Closterovirus</i> )
7. Entire or any part of the following living plants (excluding flowers, fruits, and seeds) : (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) Australia <b>Africa</b> (2) Lesotho (3) South Africa (4) Swaziland <b>North America</b> (5) United States (6) Mexico <b>Central and South America</b> (7) All countries and districts in Central America (8) All countries and districts in South America	Citrus blight
8. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Australia (2) Cyprus (3) Israel (4) Lebanon (5) Pakistan (6) Syrian (7) Turkey <b>Africa</b> (8) Algeria (9) Egypt (10) Libyan (11) Morocco (12) Tunisia <b>Europe</b> (13) Albania (14) Bosnia and Herzegovina (15) Croatia (16) France (17) Greece (18) Italy (19) Malta	Stubborn disease of citrus ( <i>Spiroplasma citri</i> )

	(20) Monaco (21) Slovenia (22) Spain (23) Yugoslavia <b>North America</b> (24) United States <b>Central and South America</b> (25) Brazil (26) Suriname	
9. Entire or any part of living citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Cyprus (2) India (3) Israel (4) Jordan (5) Lebanon (6) Philippines (7) Saudi Arabia (8) Syria (9) Turkey (10) Yemen <b>Africa</b> (11) Algeria (12) Egypt (13) Kenya (14) Morocco (15) Lesotho (16) South Africa (17) Swaziland (18) Tunisia <b>Europe</b> (19) Bosnia and Herzegovina (20) Croatia (21) France (22) Greece (23) Italy (24) Portugal (25) Slovenia (26) Spain (27) Yugoslavia <b>North America</b> (28) United States <b>Central and South America</b> (29) Argentina (30) Brazil (31) Colombia (32) Ecuador (33) Guyana (34) Suriname (35) Trinidad and Tobago (36) Venezuela	<i>Citrus cachexia viroid</i>
10. Entire or any part of living	<b>Asia and Pacific Region</b>	Vein enation disease

<p>citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p>(1) Australia (2) Japan (3) Indonesia <b>Africa</b> (4) Kenya (5) Lesotho (6) South Africa (7) Swaziland <b>North America</b> (8) United States <b>Central and South America</b> (9) Peru</p>	
<p>11. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Asia and Pacific Region</b> (1) Cyprus (2) Iran (3) Lebanon (4) Turkey <b>Africa</b> (5) Algeria (6) Morocco (7) Lesotho (8) South Africa (9) Swaziland <b>Europe</b> (10) Greece (11) Italy (12) Spain <b>Central and South America</b> (13) Venezuela</p>	<p>Impietratura disease (virus)</p>
<p>12. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Central and South America</b> (1) Brazil</p>	<p>Leaf curl disease (virus)</p>
<p>13. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Asia and Pacific Region</b> (1) Japan (2) Korea (3) China</p>	<p><i>Satsuma dwarf virus</i> (<i>Sadwavirus</i>)</p>
<p>14. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Europe</b> (1) Corsica (2) Italy <b>Africa</b> (3) Algeria (4) Morocco</p>	<p>Cristacortis viroid</p>
<p>15. Entire or any part of living citrus plants (<i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (excluding flowers, fruits, and seeds)</p>	<p><b>Africa</b> (1) Kenya (2) Lesotho (3) South Africa (4) Swaziland <b>Europe</b></p>	<p>Ringspot disease</p>



	(5) Sicily (6) Spain <b>North America</b> (7) United States <b>Central and South America</b> (8) El Salvador	
16. Entire or any part of living citrus, lemon, sour orange, and citron plants (excluding seeds and fruits)	<b>Asian and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Bahrain (4) Cyprus (5) Georgia (6) Israel (7) Kazakhstan (8) Kyrgyz (9) Moldova (10) Russian Federation (11) Syrian Arab (12) Tajikistan (13) Turkey (14) Turkmenistan (15) Ukraine (16) Uzbekistan <b>Africa</b> (17) Algeria (18) Tunisia <b>Europe</b> (19) Crete (20) Estonia (21) France (22) Greece (23) Italy (24) Latvia (25) Lithuania	Citrus drywilt ( <i>Phoma tracheiphila</i> Petri)
17. Entire or any part of living <i>Saccharum</i> spp. and <i>Erianthus maximus</i> plants (excluding flowers, fruits, and seeds)	<b>Asia and Pacific Region</b> (1) Australia (2) Fiji (3) Indonesia (4) Malaysia (5) New Caledonia (6) Papua New Guinea (7) Philippines (8) Samoa Islands (9) Solomon Islands (10) Thailand (11) Vanuatu <b>Africa</b> (12) Madagascar	<i>Fiji disease virus</i> ( <i>Fijivirus</i> )
18. Entire or any part of the following living plants (excluding flowers, fruits,	<b>Asia and Pacific Region</b> (1) Australia (2) Papua New Guinea	<i>Sugarcane bacilliform virus</i> ( <i>Badnavirus</i> )

seeds): (1) <i>Saccharum</i> spp. (2) <i>Sorghum halepense</i> (3) <i>Brachiaria</i> spp. (4) <i>Panicum maximum</i> (5) <i>Rottboellia exaltata</i>	<p style="text-align: center;"><b>Africa</b></p> (3) Madagascar (4) Madeira (5) Malawi (6) Morocco (7) Reunion (8) Lesotho (9) South Africa (10) Swaziland	
19. Entire or any part of the following living plants (excluding seeds and fruits): (1) <i>Digitaria</i> spp. (2) <i>Eleusine</i> spp. (3) <i>Paspalum</i> spp. (4) <i>Setaria</i> spp. (5) <i>Sporobolus</i> spp. (6) <i>Saccharum officinarum</i>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) India (2) Pakistan <p style="text-align: center;"><b>Africa</b></p> (3) Benin (4) Egypt (5) Cote d'Ivoire (6) Kenya (7) Madeira (8) Malawi (9) Mauritius (10) Mozambique (11) Reunion (12) Lesotho (13) South Africa (14) Swaziland (15) Sudan (16) Uganda (17) Zimbabwe	<i>Sugarcane streak virus (Mastrevirus)</i>
20. Entire or any part of living <i>Saccharum</i> spp. plants	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Bangladesh (2) India (3) Malaysia (4) Myanmar (5) Nepal (6) Sri Lanka <p style="text-align: center;"><b>Africa</b></p> (7) Sudan	Sugarcane grassy shoot phytoplasma
21. Entire or any part of the following living plants (excluding seeds): (1) <i>Saccharum</i> spp. (2) <i>Zea mays</i> (excluding ears without husks) (3) <i>Areca catechu</i> (4) <i>Dictyosperma album</i> (5) <i>Roystonea regia</i> (6) <i>Thysanolaena maxima</i> (7) <i>Tripsacum fasciculatum</i> (8) Bamboo ( <i>Bambusa vulgaris</i> ) (9) Coconut ( <i>Cocos nucifera</i> ) (10) Job's tears ( <i>Coix</i>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Fiji (2) India <p style="text-align: center;"><b>Africa</b></p> (3) Ghana (4) Madagascar (5) Madeira (6) Malawi (7) Mauritius (8) Mozambique (9) Reunion (10) Lesotho (11) South Africa (12) Swaziland	Sugarcane Gumming disease ( <i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i> and <i>Xanthomonas vasicola</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i> ) (Formerly <i>Xanthomonas campestris</i> pv. <i>vasculorum</i> (Cobb) Dye)

<p><i>lachrymajobi</i>)  (11) Guinea grass (<i>Panicum maximum</i>)  (12) Millet (<i>Panicum miliaceum</i>)  (13) Elephant grass (<i>Pennisetum purpureum</i>)  (14) Sorghum (<i>Sorghum bicolor</i>)  (15) Johnson grass (<i>Sorghum halepense</i>)  (16) Sudan grass (<i>Sorghum sudanense</i>)  (17) <i>Brachiaria mutica</i>  (18) <i>Sorghum verticilliform</i></p>	<p>(13) Zimbabwe  <b>Central and South America</b>  (14) Antigua  (15) Antigua and Barbuda  (16) Argentina  (17) Barbados  (18) Belize  (19) Brazil  (20) Colombia  (21) Cuba  (22) Dominican Republic  (23) Guadeloupe  (24) Martinique  (25) Puerto Rico  (26) Saint Christopher and Nevis  (27) Saint Lucia  (28) Saint Vincent and the Grenadines</p>	
<p>22. Entire or any part of the following living plants:  (1) <i>Arenga engleri</i>  (2) <i>Borassus flabellifer</i>  (3) <i>Caryota mitis</i>  (4) <i>Chrysalidocarpus cabadae</i>  (5) <i>Cocos nucifera</i>  (6) <i>Corypha utan</i>  (7) <i>Dictyosperma album</i>  (8) <i>Howea forsteriana</i>  (9) <i>Hyophorbe verschaffeltii</i>  (10) <i>Latania</i> spp.  (11) <i>Livistona chinensis</i>  (12) <i>Livistona rotundifolia</i>  (13) <i>Phoenix canariensis</i>  (14) <i>Phoenix dactylifera</i>  (15) <i>Phoenix reclinata</i>  (16) <i>Phoenix sylvestris</i>  (17) <i>Trachycarpus fortunei</i>  (18) <i>Veitchia macdanielsii</i>  (19) <i>Veitchia merrillii</i></p>	<p><b>Africa</b>  (1) Benin  (2) Cameroon  (3) Ghana  (4) Kenya  (5) Mozambique  (6) Nigeria  (7) Tanzania  (8) Togo  <b>North America</b>  (9) United States ( Florida )  <b>South America</b>  (10) Mexico  (11) Belize  (12) Cayman Islands  (13) Cuba  (14) Dominican Republic  (15) Haiti  (16) Honduras  (17) Jamaica</p>	<p>Lethal yellowing phytoplasma</p>
<p>23. Entire or any part of living coconut palm</p>	<p><b>Asian and Pacific Region</b>  (1) Guam</p>	<p><i>Coconut tinangaja viroid</i> (<i>Cocadviroid</i>)</p>
<p>24. Entire or any part of following living plants:  (1) <i>Areca catechu</i>  (2) <i>Arenga pinnata</i>  (3) <i>Borassus</i> spp.  (4) <i>Chloris</i> spp.  (5) <i>Cocos nucifera</i>  (6) <i>Corypha elata</i>  (7) <i>Elaeis guineensis</i>  (8) <i>Livistona rotundifolia</i></p>	<p><b>Asian and Pacific Region</b>  (1) Philippine  (2) Solomon Islands</p>	<p><i>Coconut cadang-cadang viroid</i> (<i>Cocadviroid</i>)</p>

<i>(9)Phoenix dactylifera</i>		
25. Entire or any part of living banana plant ( <i>Musa</i> spp.)	<p style="text-align: center;"><b>Central and South America</b></p> (1) Costa Rica (2) Honduras	Roxana disease (virus)
26. Entire or any part of living banana plant ( <i>Musa</i> spp.) and Heliconia plant ( <i>Heliconia</i> spp.)	<p style="text-align: center;"><b>Asian and Pacific Region</b></p> (1) Negara Brunei Darussalam (2) India (3) Indonesia (4) Malaysia (5) Philippines (6) Sri Lanka (7) Thailand (8) Vietnam	Moko disease ( <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> Race 2) (Formerly <i>Pseudomonas solanacearum</i> (Smith) Smith Race 2)
	<b>Africa</b>	
	(9) Ethiopia (10) Libya (11) Mauritius (12) Nigeria (13) Senegal (14) Sierra Leone (15) Somalia	
	<b>North America</b>	
	(16) United States( Florida )	
	<b>Central and South America</b>	
	(17) Antigua and Barbuda (18) Argentina (19) Bahamas (20) Barbados (21) Belize (22) Brazil (23) Colombia (24) Costa Rica (25) Cuba (26) Dominica (27) Dominican Republic (28) El Salvador (29) Grenada (30) Guadeloupe (31) Guatemala (32) Guyana (33) Haiti (34) Honduras (35) Jamaica (36) Mexico (37) Nicaragua (38) Panama (39) Peru (40) Puerto Rico (41) Saint Christopher and Nevis (42) Saint Lucia (43) Saint Vincent and the	

	<p>Grenadines  (44)Suriname  (45)Trinidad and Tobago  (46)Venezuela</p>	
27. Entire or any part of living banana, Bluggoe, and Heliconia plants	<p><b>Asia and Pacific Region</b>  (1) Australia  (2) Banda Islands  (3) Negara Brunei Darussalam  (4) Myanmar  (5) Fiji  (6) India  (7) Indonesia  (8) Israel  (9) Malaysia  (10) Pakistan  (11) Papua New Guinea  (12) Philippines  (13) Sri Lanka  (14) Thailand  (15) Vietnam</p> <p><b>Africa</b>  (16) Cameroon  (17) Canary Islands  (18) Congo  (19) Ghana  (20) Kenya  (21) Madagascar  (22) Mauritius  (23) Mozambique  (24) Nigeria  (25) South Africa  (26) Sierra Leone  (27) Tanzania  (28) Uganda</p> <p><b>North America</b>  (29) Hawaii</p> <p><b>Central America</b>  (30) Barbados  (31) Belize  (32) Brazil  (33) Colombia  (34) Costa Rica  (35) Cuba  (36) Dominican Republic  (37) Ecuador  (38) El Salvador  (39) Cayman Islands  (40) Guadeloupe  (41) Grenada  (42) Guatemala  (43) Guyana</p>	<p>Panama disease, Banana fusarial wilt  (<i>Fusarium oxysporum</i> f. sp. <i>ubense</i> (E.F. Smith) Snyd. &amp; Hans. Race 2 &amp; Race 3)</p>

	(44) Haiti (45) Honduras (46) Jamaica (47) Martinique (48) Mexico (49) Nicaragua (50) Panama (51) Peru (52) Puerto Rico (53) Saint Lucia (54) Saint Vincent and the Grenadines (55) Suriname (56) Trinidad and Tobago (57) Venezuela (58) Virgin Islands (United States)	
28. Fresh fruits, but excluding fruits of following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Ananas comosus</i> (3) <i>Cocos nucifera</i> (4) <i>Hypericum</i> spp. (5) <i>Leucadendron</i> spp. (6) <i>Lycycteria</i> spp. (7) <i>Musa</i> spp. (excluding green-ripened bananas) (8) <i>Symphoricarpus</i> spp. (9) <i>Viburnum</i> spp.	<b>Asia and Pacific Region</b> (1) Armenia (2) Australia (excluding Tasmania, Riverland and Sunraysia) (3) Azerbaijan (4) Belarus (5) Cyprus (6) Georgia (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) Russian Federation (14) Saudi Arabia (15) Syria (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan <b>Africa</b> (21) All countries and districts in Africa <b>Europe</b> (22) Albania (23) Austria (24) Belgium (25) Bosnia and Herzegovina (26) United Kingdom (27) Croatia (28) Estonia (29) France (30) Germany	Mediterranean fruit fly ( <i>Ceratitidis capitata</i> (Wiedemann))

	<p>(31) Greece  (32) Hungary  (33) Ireland  (34) Italy  (35) Latvia  (36) Lithuania  (37) Malta  (38) Netherlands  (39) Portugal  (40) Spain  (41) Switzerland  (42) Yugoslavia  (43) Slovenia</p> <p style="text-align: center;"><b>North America</b></p> <p>(44) Bermuda  (45) Hawaii</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(46) Antigua and Barbuda  (47) Argentina  (48) Bahamas  (49) Barbados  (50) Bolivia  (51) Brazil  (52) Chile (excluding Region III to  Region X, XIV and  Metropolitan Region)  (53) Colombia  (54) Costa Rica  (55) Cuba  (56) Dominica  (57) Dominican Republic  (58) Ecuador  (59) El Salvador  (60) Grenada  (61) Guatemala  (62) Haiti  (63) Honduras  (64) Jamaica  (65) Mexico  (66) Nicaragua  (67) Panama  (68) Paraguay  (69) Peru  (70) Puerto Rico  (71) Saint Christopher and Nevis  (72) Saint Lucia  (73) Saint Vincent and the  Grenadines  (74) Trinidad and Tobago  (75) Uruguay  (76) Venezuela</p>	
--	---	--

<p>29. Fresh fruits of the following plants:</p> <ol style="list-style-type: none"> <li>(1) <i>Actinidia deliciosa</i></li> <li>(2) <i>Aegle marmelos</i></li> <li>(3) <i>Anacardium occidentale</i></li> <li>(4) <i>Annona</i> spp.</li> <li>(5) <i>Averrhoa</i> spp.</li> <li>(6) <i>Blighia sapida</i></li> <li>(7) <i>Calophyllum inophyllum</i></li> <li>(8) <i>Cananga odorata</i></li> <li>(9) <i>Capsicum</i> spp.</li> <li>(10) <i>Carica papaya</i></li> <li>(11) <i>Casimiroa edulis</i></li> <li>(12) <i>Chrysophyllum cainito</i></li> <li>(13) <i>Citrus</i> spp.</li> <li>(14) <i>Clausena lansium</i></li> <li>(15) <i>Coffea</i> spp.</li> <li>(16) <i>Cucurbita moschata</i></li> <li>(17) <i>Cydonia oblonga</i></li> <li>(18) <i>Cyphomandra betacea</i></li> <li>(19) <i>Dimocarpus longan</i></li> <li>(20) <i>Diospyros</i> spp.</li> <li>(21) <i>Dovyalis caffra</i></li> <li>(22) <i>Eremocitrus glauca</i></li> <li>(23) <i>Eriobotrya japonica</i></li> <li>(24) <i>Eugenia</i> spp. = <i>Syzygium</i> spp.</li> <li>(25) <i>Feijoa sellowiana</i></li> <li>(26) <i>Ficus</i> spp.</li> <li>(27) <i>Flacourtia</i> spp.</li> <li>(28) <i>Fortunella</i> spp.</li> <li>(29) <i>Grewia asiatica</i></li> <li>(30) <i>Juglans regia</i></li> <li>(31) <i>Litchi chinensis</i></li> <li>(32) <i>Lycopersicon esculentum</i></li> <li>(33) <i>Malpighia emarginata</i></li> <li>(34) <i>Malus</i> spp.</li> <li>(35) <i>Mangifera</i> spp.</li> <li>(36) <i>Manilkara zapota</i></li> <li>(37) <i>Mimusops elengi</i></li> <li>(38) <i>Momordica charantia</i></li> <li>(39) <i>Morus</i> spp.</li> <li>(40) <i>Musa</i> spp.</li> <li>(41) <i>Myrciaria cauliflora</i></li> <li>(42) <i>Nephelium lappaceum</i></li> <li>(43) <i>Nerium oleander</i></li> <li>(44) <i>Olea europaea</i></li> <li>(45) <i>Opuntia ficusindica</i></li> <li>(46) <i>Passiflora</i> spp.</li> <li>(47) <i>Persea americana</i></li> <li>(48) <i>Phoenix dactylifera</i></li> </ol>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <ol style="list-style-type: none"> <li>(1) Australia (excluding Riverland and Tasmania)</li> <li>(2) Easter Island</li> <li>(3) New Caledonia</li> <li>(4) Papua New Guinea</li> <li>(5) Society Island</li> <li>(6) Tubuai Island</li> <li>(7) French Polynesia</li> </ol>	<p>Queensland fruit fly (<i>Bactrocera tryoni</i> (Froggatt))</p>
--	---	---



<p>(49) <i>Phyllanthus acidus</i>  (50) <i>Physalis peruviana</i>  (51) <i>Pometia pinnata</i>  (52) <i>Poncirus</i> spp.  (53) <i>Pouteria</i> spp.  (54) <i>Prunus</i> spp.  (55) <i>Psidium</i> spp.  (56) <i>Punica granatum</i>  (57) <i>Pyrus communis</i>  (58) <i>Rollinia</i> spp.  (59) <i>Rubus</i> spp.  (60) <i>Solanum</i> spp.  (61) <i>Spondias</i> spp.  (63) <i>Synsepalum dulcificum</i>  (64) <i>Terminalia</i> spp.  (65) <i>Thevetia peruviana</i>  (66) <i>Trichosanthes cucumerina</i>  var. <i>anguinea</i>  (67) <i>Vitis</i> spp.  (68) <i>Ziziphus</i> spp.</p>		
<p>30. Entire or any part of the following living plants (excluding flowers, fruits, and seeds):  (1) Eggplant  (2) Potato  (3) Red pepper, Sweet pepper (<i>Capsicum annuum</i>)  (4) Tomato  (5) Black nightshade  (6) Bitter-sweet</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Armenia  (2) Azerbaijan  (3) Belarus  (4) Bhutan  (5) Georgia  (6) Kazakhstan  (7) India  (8) Kyrgyz  (9) China  (10) Moldova  (11) Nepal  (12) Russian Federation  (13) Tajikistan  (14) Turkmenistan  (15) Ukraine  (16) Uzbekistan</p> <p style="text-align: center;"><b>Africa</b></p> <p>(17) Lesotho  (18) South Africa  (19) Swaziland</p> <p style="text-align: center;"><b>Europe</b></p> <p>(20) All countries and districts in Europe (excluding Albania and Greece)</p> <p style="text-align: center;"><b>North America</b></p> <p>(21) Canada (excluding New Brunswick and Quebec Provinces; seed potatoes are prohibited)</p> <p style="text-align: center;"><b>Central and South America</b></p>	<p>Potato wart  (<i>Synchytrium endobioticum</i> (Schilf) Per.)</p>

	(22) Bolivia (23) Chile (24) Ecuador (25) Falkland Islands (26) Peru (27) Uruguay	
31. Entire or any part of the following living plants (excluding leaf, flowers, fruits and seeds): (1) <i>Chenopodium</i> spp. (2) Solanaceae (3) Salpiglossidaceae	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Armenia (2) Australia (Victoria & Western Australia) (3) Azerbaijan (4) Belarus (5) Georgia (6) India (7) Indonesia (8) Japan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Malaysia (13) Moldova (14) New Zealand (15) Norfolk Island (16) Oman (17) Pakistan (18) Philippines (19) Russian Federation (20) Sri Lanka (21) Tajikistan (22) Turkmenistan (23) Turkey (24) Ukraine (25) Uzbekistan <p style="text-align: center;"><b>Africa</b></p> (26) Algeria (27) Egypt (28) Canary Islands (29) Lesotho (30) Libya (31) Morocco (32) Sierra Leone (33) South Africa (34) Swaziland (35) Tunisia (36) Zimbabwe <p style="text-align: center;"><b>Europe</b></p> (37) Albania (38) Austria (39) Balearic Islands (40) Belgium (41) Bosnia and Herzegovina	Golden nematode ( <i>Globodera rostochiensis</i> Wr.)

	<p>(42) Bulgaria  (43) Croatia  (44) Channel Islands  (45) Cyprus  (46) Clyde Island  (47) Czech  (48) Denmark  (49) Estonia  (50) Faroe Islands  (51) Finland  (52) France  (53) Germany  (54) Greece  (55) Hungary  (56) Iceland  (57) Ireland  (58) Italy  (59) Liechtenstein  (60) Latvia  (61) Lithuania  (62) Luxembourg  (63) Malta  (64) Montenegro  (65) Netherlands  (66) Norway  (67) Poland  (68) Portugal  (69) Rumania  (70) Serbia  (71) Slovakia  (72) Slovenia  (73) Spain  (74) Sweden  (75) Switzerland  (76) Yugoslavia  (77) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(78) Canada (excluding New Brunswick and Edward Island; seed potatoes are prohibited)  (79) Mexico  (80) United States (excluding Alaska, California, Idaho, Montana, Oregon, Washington States; seed potatoes are allowed to be imported from Alaska and Montana State only)</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(81) Argentina  (82) Bolivia</p>	
--	---	--

	(83) Brazil (84) Chile (85) Colombia (86) Costa Rica (87) Ecuador (88) Panama (89) Peru (90) Venezuela	
32. Entire or any part of the following living plants (excluding seeds): (1) Eggplant (2) Red pepper, Sweet pepper ( <i>Capsicum annuum</i> ) (3) Tobacco (excluding dried tobacco leaves)	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> (1) Armenia (2) Australia (3) Azerbaijan (4) Belarus (5) Georgia (6) Iran (7) Iraq (8) Israel (9) Jordan (10) Kazakhstan (11) Kyrgyz (12) Lebanon (13) Moldova (14) Myanmar (15) Pakistan (16) Russian Federation (17) Syria (18) Tajikistan (19) Turkey (20) Turkmenistan (21) Ukraine (22) Uzbekistan (23) Yemen  <p style="text-align: center;"><b>Africa</b></p> (24) Algeria (25) Egypt (26) Libyan (27) Morocco (28) Reunion (29) Tunisia  <p style="text-align: center;"><b>Europe</b></p> (30) All countries and districts in Europe(excluding Netherlands)  <p style="text-align: center;"><b>North America</b></p> (31) Canada (excluding British Columbia) (32) United States  <p style="text-align: center;"><b>Central and South America</b></p> (33) Antigua and Barbuda (34) Argentina (35) Bahamas (36) Barbados	Tobacco blue mold ( <i>Peronospora tabacina</i> Adam.)

	<ul style="list-style-type: none"> <li>(37) Belize</li> <li>(38) Brazil</li> <li>(39) Chile</li> <li>(40) Colombia</li> <li>(41) Costa Rica</li> <li>(42) Cuba</li> <li>(43) Dominica</li> <li>(44) Dominican Republic</li> <li>(45) El Salvador</li> <li>(46) Grenada</li> <li>(47) Guatemala</li> <li>(48) Haiti</li> <li>(49) Honduras</li> <li>(50) Jamaica</li> <li>(51) Mexico</li> <li>(52) Nicaragua</li> <li>(53) Panama</li> <li>(54) Puerto Rico</li> <li>(55) Saint Christopher and Nevis</li> <li>(56) Saint Lucia</li> <li>(57) Saint Vincent and the Grenadines</li> <li>(58) Trinidad and Tobago</li> <li>(59) Uruguay</li> <li>(60) Venezuela</li> </ul>	
33. Fresh fruits of mango plants	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <ul style="list-style-type: none"> <li>(1) Australia</li> <li>(2) Bangladesh</li> <li>(3) Bhutan</li> <li>(4) Chagos Islands</li> <li>(5) Fiji</li> <li>(6) French Polynesia</li> <li>(7) Guam</li> <li>(8) India</li> <li>(9) Indonesia</li> <li>(10) Malaysia</li> <li>(11) Marianas Islands</li> <li>(12) Myanmar</li> <li>(13) Nepal</li> <li>(14) New Caledonia</li> <li>(15) Papua New Guinea</li> <li>(16) Northern Mariana Islands</li> <li>(17) Oman</li> <li>(18) Pakistan</li> <li>(19) Philippines</li> <li>(20) Sri Lanka</li> <li>(21) Thailand</li> <li>(22) Tonga</li> <li>(23) United Arab Emirates</li> <li>(24) Vietnam</li> <li>(25) Wallis Island</li> </ul>	Mango seed weevil ( <i>Sternochetus mangiferae</i> (Fabricius))

	<p>(26) Wallis and Futuna</p> <p style="text-align: center;"><b>Africa</b></p> <p>(27) British Indian Ocean Territory  (28) Central African Republic  (29) Gabon  (30) Ghana  (31) Guinea  (32) Kenya  (33) Lesotho  (34) Liberia  (35) Madagascar  (36) Malawi  (37) Mauritius  (38) Mozambique  (39) Nigeria  (40) Reunion  (41) Seychelles  (42) South Africa  (43) Swaziland  (44) Tanzania  (45) Uganda  (46) Zambia</p> <p style="text-align: center;"><b>Europe</b></p> <p>(47) France</p> <p style="text-align: center;"><b>North America</b></p> <p>(48) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(49) Barbados  (50) Virgin Islands (British)  (51) Dominican Republic  (52) Guadeloupe  (53) Grenada  (54) Guiana  (55) Guadeloupe  (56) Martinique  (57) Montserrat  (58) Saint Lucia  (59) Saint Vincent and the  Grenadines  (60) Trinidad and Tobago  (61) Virgin Islands (United States)</p>	
34. Fresh fruits of citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.)	<b>Asia and Pacific Region</b>	Chinese citrus fly ( <i>Bactrocera minax</i> (Enderlein))
35. Fresh fruits of the following plants: (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Aegle marmelos</i>	<b>Asia and Pacific Region</b>	Peach fruit fly ( <i>Bactrocera zonata</i> (Saunders))
	(1) Bhutan (2) India (3) China (4) Nepal	
	(1) Bangladesh (2) Cambodia (3) India (4) Indonesia	

<p>(3) <i>Azalia xylocarpa</i>  (4) <i>Annona squamosa</i>  (5) <i>Careya arborea</i>  (6) <i>Carica papaya</i>  (7) Citrus plants (<i>Citrus</i> spp.,  <i>Fortunella</i> spp., and <i>Poncirus</i>  spp.)  (8) <i>Cucurbitaceae</i>  (9) <i>Cydonia oblonga</i>  (10) <i>Ficus carica</i>  (11) <i>Grewia asiatica</i>  (12) <i>Lycopersicon esculentum</i>  (13) <i>Malpighia emarginata</i> = <i>M.</i>  <i>glabra</i>  (14) <i>Malus</i> spp.  (15) <i>Mangifera indica</i>  (16) <i>Manilkara zapota</i>  (17) <i>Morus alba</i>  (18) <i>Phoenix dactylifera</i>  (19) <i>Prunus avium</i>  (20) <i>Prunus persica</i>  (21) <i>Psidium guajava</i>  (22) <i>Punica granatum</i>  (23) <i>Solanum melongena</i>  (24) <i>Syzygium jambos</i>  (25) <i>Terminalia catappa</i>  (26) <i>Ziziphus jujuba</i></p>	<p>(5) Iran  (6) Israel  (7) Lao  (8) Myanmar  (9) Oman  (10) Pakistan  (11) Saudi Arabia  (12) Sri Lanka  (13) Thailand  (14) United Arab Emirates  (15) Vietnam  <p style="text-align: center;"><b>Africa</b></p> (16) Egypt  (17) Mauritius  (18) Reunion</p>	
<p>36. Fresh fruits of the following plants:  (1) <i>Abelmoschus esculentus</i>  = <i>Hibiscus esculentus</i>  (2) <i>Capsicum annuum</i>  (3) <i>Cucurbitaceae</i>  (4) <i>Gossypium</i> spp.  (5) <i>Lycopersicon esculentum</i>  (6) <i>Phaseolus</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Bangladesh  (2) India  (3) Iran  (4) Israel  (5) Myanmar  (6) Pakistan  (7) Saudi Arabia  (8) Sri Lanka  (9) Yemen  <p style="text-align: center;"><b>Africa</b></p> (10) Angola  (11) Benin  (12) Botswana  (13) Cameroon  (14) Cape Verde  (15) Chad  (16) Congo  (17) Egypt  (18) Eritrea  (19) Ethiopia  (20) Ghana  (21) Guinea  (22) Kenya</p>	<p>Cucurbit fly  (<i>Dacus ciliatus</i> Loew)</p>

	(23) Lesotho (24) Madagascar (25) Malawi (26) Mauritius (27) Mozambique (28) Namibia (29) Nigeria (30) Rwanda (31) Reunion (32) Saint Helena (33) Senegal (34) Sierra Leone (35) Somalia (36) South Africa (37) Sudan (38) Swaziland (39) Tanzania (40) Togo (41) Uganda (42) Zambia (43) Zimbabwe	
37. Fresh fruits of the following plants : (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i> (2) <i>Aegle marmelos</i> (3) <i>Anacardium occidentale</i> (4) <i>Annona</i> spp. (5) <i>Areca catechu</i> (6) <i>Artocarpus integer</i> (7) <i>Averrhoa carambola</i> (8) <i>Baccaurea racemosa</i> (9) <i>Bouea macrophylla</i> (10) <i>Bouea oppositifolia</i> (11) <i>Cananga odorata</i> (12) <i>Capparis</i> spp. (13) <i>Careya</i> spp. (14) <i>Carica papaya</i> (15) <i>Carissa carandas</i> (16) <i>Casimiroa edulis</i> (17) <i>Chrysophyllum</i> spp. (18) <i>Citrus</i> spp. (19) <i>Coccinia grandis</i> (20) <i>Coffea</i> spp. (21) <i>Cucumis melo</i> (22) <i>Cydonia oblonga</i> (23) <i>Dimocarpus longan</i> = <i>Euphoria longana</i> (24) <i>Diospyros</i> spp. (25) <i>Dipterocarpus obtusifolius</i> (26) <i>Elaeocarpus madopetalus</i>	<b>Asia and Pacific Region</b> (1) Myanmar (2) India (3) China (4) Nepal (5) Pakistan (6) Philippines (7) Sri Lanka (8) Thailand (9) Vietnam	Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi))



<p>(27) <i>Ficus carica</i>  (28) <i>Flacourtia indica</i>  (29) <i>Flacourtia jangomas</i>  (30) <i>Fortunella</i> spp.  (31) <i>Garcinia xanthochymus</i>  (32) <i>Hylocereus</i> spp.  (33) <i>Irvingia malayana</i>  (34) <i>Jubaea spectabilis</i>  (35) <i>Knema angustifolia</i>  (36) <i>Lepisanthes fruticosa</i>  (37) <i>Lycopersicon esculentum</i>  (38) <i>Madhuca longifolia</i>  (39) <i>Maerua siamensis</i>  (40) <i>Malpighia emarginata</i>=<i>M. glabra</i>  (41) <i>Malus sylvestris</i>  (42) <i>Mangifera indica</i>  (43) <i>Manilkara zapota</i>=<i>Achras sapota</i>  (44) <i>Mimusops elengi</i>  (45) <i>Muntingia calabura</i>  (46) <i>Musa paradisiaca</i>  (47) <i>Olax scandens</i>  (48) <i>Opuntia vulgaris</i>  (49) <i>Phoenix dactylifera</i>  (50) <i>Phyllanthus acidus</i>  (51) <i>Polyalthia longifolia</i>  (52) <i>Poncirus</i> spp.  (53) <i>Prunus armeniaca</i>  (54) <i>Prunus avium</i>  (55) <i>Prunus cerasus</i>  (56) <i>Prunus persica</i>  (57) <i>Psidium guajava</i>  (58) <i>Punica granatum</i>  (59) <i>Pyrus communis</i>  (60) <i>Ricinus communis</i>  (61) <i>Sandoricum koetjape</i>  (62) <i>Santalum album</i>  (63) <i>Schoepfia fragrans</i>  (64) <i>Securinega virosa</i>  (65) <i>Spondias</i> spp.  (66) <i>Strychnos potatorum</i>  (67) <i>Syzygium</i> spp.=<i>Eugenia</i> spp.  (68) <i>Terminalia catappa</i>  (69) <i>Walsura intermedia</i>  (70) <i>Ziziphus</i> spp.</p>		
<p>38. Fresh fruits of the following plants:  (1) <i>Aglaia dookoo</i>  (2) <i>Alangium griffithii</i></p>	<p><b>Asia and Pacific Region</b>  (1) Andaman Islands  (2) Negara Brunei Darussalam  (3) Indonesia</p>	<p>Carambola fruit fly  (<i>Bactrocera carambolae</i>  Drew &amp; Hancock)</p>

<p>(3) <i>Anacardium occidentale</i>  (4) <i>Annona muricata</i>  (5) <i>Arenga pinnata</i>  (6) <i>Artocarpus</i> spp.  (7) <i>Averrhoa bilimbi</i>  (8) <i>Averrhoa carambola</i>  (9) <i>Baccaurea motleyana</i>  (10) <i>Bouea oppositifolia</i>  (11) <i>Capsicum annuum</i>  (12) <i>Carica papaya</i>  (13) <i>Chrysophyllum cainito</i>  (14) <i>Citrus</i> spp.  (15) <i>Drypetes longifolia</i>  (16) <i>Eugenia</i> spp.  (17) <i>Fagraea ceilanica</i>  (18) <i>Ficus</i> spp.  (19) <i>Fortunella margarita</i>  (20) <i>Garcinia mangostana</i>  (21) <i>Garcinia</i> spp.  (22) <i>Knema angustifolia</i>  (23) <i>Lansium domesticum</i>  (24) <i>Lycopersicon esculentum</i>  (25) <i>Malpighia</i> spp.  (26) <i>Mangifera indica</i>  (27) <i>Manilkara zapota</i>  (28) <i>Mimusops elengi</i>  (29) <i>Persea americana</i>  (30) <i>Planchonella longipetiolatum</i>  (31) <i>Pouteria campechiana</i>  (32) <i>Psidium cattleianum</i>  (33) <i>Psidium guajava</i>  (34) <i>Punica granatum</i>  (35) <i>Rhizophora</i> spp.  (36) <i>Rhodomyrtus tomentosa</i>  (37) <i>Rollinia pulchrinervis</i>  (38) <i>Sandoricum koetjape</i>  (39) <i>Syzygium aqueum</i>  (40) <i>Syzygium</i> spp.  (41) <i>Terminalia</i> spp.  (42) <i>Thevetia peruviana</i>  (43) <i>Triphasia trifolia</i>  (44) <i>Uvaria grandiflora</i>  (45) <i>Xanthophyllum amoenum</i>  (46) <i>Ziziphus jujuba</i></p>	<p>(4) Malaysia  (5) Singapore  (6) Thailand  (7) Vietnam  <b>South America</b>  (8) Brazil  (9) Guiana  (10) Guyana  (11) Surinam</p>	
<p>39. Fresh fruits of the following plants:  (1) <i>Adenathera pavonina</i>  (2) <i>Aglaiia</i> spp.  (3) <i>Alpinia mutica</i>  (4) <i>Anacardium occidentale</i></p>	<p><b>Asia and Pacific Region</b>  (1) Negara Brunei Darussalam  (2) Christmas Island  (3) Indonesia  (4) Malaysia  (5) Papua New Guinea</p>	<p>Papaya fruit fly  (<i>Bactrocera papayae</i>  Drew &amp; Hancock)</p>

<p>(5) <i>Annona</i> spp.  (6) <i>Antidesma ghaesembilla</i>  (7) <i>Ardisia crenata</i>  (8) <i>Areca catechu</i>  (9) <i>Arenga pinnata</i>  (10) <i>Arenga westerhoutii</i>  (11) <i>Artocarpus</i> spp.  (12) <i>Averrhoa bilimbi</i>  (13) <i>Averrhoa carambola</i>  (14) <i>Azadirachta excelsa</i>  (15) <i>Baccaurea motleyana</i>  (16) <i>Borassus flabellifer</i>  (17) <i>Bouea macrophylla</i>  (18) <i>Bouea oppositifolia</i>  (19) <i>Breynia reclinata</i>  (20) <i>Callicarpa longifolia</i>  (21) <i>Careya sphaerica</i>  (22) <i>Carica papaya</i>  (23) <i>Carissa carandas</i>  (24) <i>Caryota mitis</i>  (25) <i>Celtis tetranda</i>  (26) <i>Chrysophyllum cainito</i>  (27) <i>Cissus repens</i>  (28) Citrus plant ( <i>Citrus</i> spp.,  <i>Fortunella</i> spp., and <i>Poncirus</i>  spp. )  (29) <i>Clausena lansium</i>  (30) <i>Coccinia grandis</i>  (31) <i>Coffea arabica</i>  (32) <i>Coffea canephora</i>  (33) <i>Cordia dentata</i>  (34) <i>Crinum asiaticum</i>  (35) <i>Cucumis sativus</i>  (36) <i>Desmos chinensis</i>  (37) <i>Dillenia obovata</i>  (38) <i>Diospyros</i> spp.  (39) <i>Dovyalis hebecarpa</i>  (40) <i>Ehretia microphylla</i>  (41) <i>Eriobotrya japonica</i>  (42) <i>Eugenia</i> spp.  (43) <i>Excoecaria agallocha</i>  (44) <i>Fagraea ceilanica</i>  (45) <i>Fibraurea tinctoria</i>  (46) <i>Ficus</i> spp.  (47) <i>Flacourtia rukam</i>  (48) <i>Garcinia</i> spp.  (49) <i>Gmelina</i> spp.  (50) <i>Grewia paniculata</i>  (51) <i>Gymnopetalum integrifolium</i>  (52) <i>Holigarna kurzii</i></p>	<p>(6) Singapore  (7) Thailand  (8) Vietnam</p>	
---	---	--

<p>(53) <i>Horsfieldia subglobosa</i>  (54) <i>Ixora javanica</i>  (55) <i>Knema</i> spp.  (56) <i>Lansium domesticum</i>  (57) <i>Lepisanthes</i> spp.  (58) <i>Litsea glutinosa</i>  (59) <i>Lycopersicon esculentum</i>  (60) <i>Malpighia emarginata</i> = <i>M. glabra</i>  (61) <i>Mangifera</i> spp.  (62) <i>Manilkara zapota</i>  (63) <i>Mimusops elengi</i>  (64) <i>Momordica charantia</i>  (65) <i>Morinda</i> spp.  (66) <i>Morus alba</i>  (67) <i>Muntingia calabura</i>  (68) <i>Musa</i> spp.  (69) <i>Nauclea orientalis</i>  (70) <i>Nephelium lappaceum</i>  (71) <i>Parkia speciosa</i>  (72) <i>Passiflora</i> spp.  (73) <i>Pereskia grandiflora</i>  (74) <i>Persea americana</i>  (75) <i>Phaseolus vulgaris</i>  (76) <i>Polyalthia longifolia</i>  (77) <i>Pouteria</i> spp.  (78) <i>Premna serratifolia</i>  (79) <i>Prunus persica</i>  (80) <i>Psidium cattleianum</i>  (81) <i>Punica granatum</i>  (82) <i>Rollinia pulchrinervis</i>  (83) <i>Terminalia</i> spp.  (84) <i>Theobroma cacao</i>  (85) <i>Thevetia peruviana</i>  (86) <i>Sandoricum koetjape</i>  (87) <i>Sapium</i> spp.  (88) <i>Solanum</i> spp.  (89) <i>Spondias</i> spp.  (90) <i>Syzygium</i> spp.  (91) <i>Syzygium aqueum</i>  (92) <i>Uvaria grandiflora</i>  (93) <i>Veitchia merrillii</i>  (94) <i>Ziziphus</i> spp.</p>		
<p>40. Fresh fruits of the following plants:  (1) <i>Artocarpus</i> spp.  (2) <i>Averrhoa carambola</i>  (3) <i>Carica papaya</i>  (4) <i>Citrus reticulata</i>  (5) <i>Mangifera indica</i>  (6) <i>Manilkara zapota</i></p>	<p><b>Asia and Pacific Region</b>  (1) Philippines</p>	<p><i>Bactrocera philippinensis</i>  Drew &amp; Hancock</p>

(7) <i>Pouteria duklitan</i> (8) <i>Psidium guajava</i> (9) <i>Spondias</i> spp. (10) <i>Syzygium malaccensis</i>		
41. Fresh fruits of the following plants: (1) Citrus plants ( <i>Citrus</i> spp., <i>Fortunella</i> spp., and <i>Poncirus</i> spp.) (2) Mango (3) Guava (4) <i>Artocarpus</i> spp. (5) Coffee (6) <i>Ficus</i> spp.	<b>Asia and Pacific Region</b> (1) India (2) Oman (3) Sri Lanka	<i>Bactrocera caryeae</i> (Kapoor)
42. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona glabra</i> (3) <i>Areca catechu</i> (4) <i>Artocarpus</i> spp. (5) <i>Averrhoa carambola</i> (6) <i>Carica papaya</i> (7) <i>Citrus maxima</i> (8) <i>Garcinia</i> spp. (9) <i>Mangifera indica</i> (10) <i>Persea americana</i> (11) <i>Psidium guajava</i> (12) <i>Punica granatum</i> (13) <i>Spondias</i> spp. (14) <i>Syzygium aromaticum</i> (15) <i>Syzygium jambos</i>	<b>Asia and Pacific Region</b> (1) Sri Lanka	<i>Bactrocera kandiensis</i> Drew & Hancock
43. Fresh fruits of the following plants: (1) Peach (2) Guava (3) Pear (4) <i>Baccaurea ramiflor</i>	<b>Asia and Pacific Region</b> (1) Thailand	<i>Bactrocera pyrifoliae</i> Drew & Hancock
44. Entire or any part of banana plants ( <i>Musa</i> spp.)	<b>Asia and Pacific Region</b> (1) India (2) Philippines (3) Samoa (4) Sri Lanka (5) Thailand (6) Vietnam	<i>Banana bract mosaic virus</i> ( <i>Potyvirus</i> )
45. Entire or any part of banana plants ( <i>Musa</i> spp.)	<b>Asia and Pacific Region</b> (1) Australia (2) India (3) Indonesia (4) China (5) Malaysia (6) New Caledonia	<i>Banana streak virus</i> ( <i>Badnavirus</i> )

	<p>(7) Papua New Guinea  (8) Philippines  (9) Sri Lanka  (10) Thailand  (11) Tonga  (12) Vietnam  (13) Western Samoa</p> <p style="text-align: center;"><b>Africa</b></p> <p>(14) Benin  (15) Cameroon  (16) Cape Verde  (17) Canary Islands  (18) Cote d'Ivoire  (19) Ghana  (20) Guinea  (21) Kenya  (22) Madagascar  (23) Malawi  (24) Mauritius  (25) Morocco  (26) Nigeria  (27) Rwanda  (28) South Africa  (29) Tanzania  (30) Uganda</p> <p style="text-align: center;"><b>Europe</b></p> <p>(31) Madeira island (Portugal)</p> <p style="text-align: center;"><b>North America</b></p> <p>(32) United States (Florida and Virgin Islands)</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(33) Belize  (34) Colombia  (35) Costa Rica  (36) Cuba  (37) Ecuador  (38) Grenada  (39) Guadeloupe  (40) Honduras  (41) Jamaica  (42) Trinidad  (43) Venezuela</p>	
<p>46. Entire or any part of the following plants(excluding flowers, fruits, seeds, shoots no more than 3 cm in diameter and seedlings with the largest trunk which no more than 3 cm in diameter):  (1) <i>Acer</i> spp.  (2) <i>Aesculus</i> spp.</p>	<p style="text-align: center;"><b>Asia</b></p> <p>(1) China  (2) Korea, Democratic People's Republic of  (3) Korea, Republic of</p> <p style="text-align: center;"><b>Europe</b></p> <p>(4) Austria ( Braunau )</p> <p style="text-align: center;"><b>North America</b></p> <p>(5) United States(New York (City of</p>	<p>Asian longhorned beetle  (<i>Anoplophora glabripennis</i> (Motschulsky))</p>

<p>(3) <i>Alnus</i> spp.  (4) <i>Betula</i> spp.  (5) <i>Citrus</i> spp.  (6) <i>Elaeagnus angustifolia</i>  (7) <i>Fraxinus</i> spp.  (8) <i>Hibiscus</i> spp.  (9) <i>Liriodendron tulipifera</i>  (10) <i>Malus</i> spp.  (11) <i>Melia</i> spp.  (12) <i>Morus</i> spp.  (13) <i>Paulownia fortunei</i>  (14) <i>Platanus</i> spp.  (15) <i>Populus</i> spp.  (16) <i>Prunus</i> spp.  (17) <i>Pyrus</i> spp.  (18) <i>Robinia</i> spp.  (19) <i>Rosa</i> spp.  (20) <i>Salix</i> spp.  (21) <i>Sophora</i> spp.  (22) <i>Ulmus</i> spp.</p>	<p>New York, Nassau and Suffolk)and New Jersey (Middlesex and Union))  (6) Canada (Ontario (Toronto and Vaughan))</p>	
<p>47. Fresh fruits of mango plants</p>	<p><b>Asia and Pacific Region</b>  (1) Bangladesh  (2) Brunei  (3) Chagos Islands  (4) India  (5) Indonesia  (6) Malaysia  (7) Marianas Islands  (8) Myanmar  (9) Papua New Guinea  (10) Pakistan  (11) Philippines  (12) Thailand</p>	<p>Mango weevil  ( <i>Sternochetus frigidus</i> ( Fabricius ) =  <i>Cryptorrhynchus gravis</i> ( Fabricius ) )</p>
<p>48. Fresh fruits of the following plants:  (1) <i>Aronia arbutifolia</i>  (2) <i>Chaenomeles japonica</i>  (3) <i>Chaenomeles speciosa</i>  (4) <i>Cornus mas</i>  (5) <i>Crataegus</i> spp.  (6) <i>Cydonia oblonga</i>  (7) <i>Malus</i> spp.  (8) <i>Phoenix dactylifera</i>  (9) <i>Prunus americana</i>  (10) <i>Prunus armeniaca</i>  (11) <i>Prunus domestica</i>  (12) <i>Prunus dulcis</i> = <i>P. amygdalus</i>  (13) <i>Prunus mume</i>  (14) <i>Prunus persica</i>  (15) <i>Prunus salicina</i></p>	<p><b>Asia and Pacific Region</b>  (1) China  (2) Japan  (3) Korea, Democratic People's Republic of  (4) Korea, Republic of  (5) Russian Federation</p>	<p>Peach fruit moth  (<i>Carposina sasakii</i> Matsumura= <i>Carposina niponensis</i> Walsingham)</p>

<p>(16) <i>Pyrus</i> spp.  (17) <i>Rosa</i> spp.  (18) <i>Sorbus aucuparia</i>  (19) <i>Sorbus commixta</i>  (20) <i>Ziziphus jujuba</i></p>		
<p>49. Entire or any part of the following living plants (excluding flowers, fruits and seeds) :</p> <p>(1) <i>Abies</i> spp.  (2) <i>Acer</i> spp.  (3) <i>Adiantum aleuticum</i>  (4) <i>Adiantum jordanii</i>  (5) <i>Aesculus californica</i>  (6) <i>Aesculus hippocastanum</i>  (7) <i>Arbutus menziesii</i>  (8) <i>Arbutus unedo</i>  (9) <i>Arctostaphylos</i> spp.  (10) <i>Ardisia japonica</i>  (11) <i>Berberis iversifolia</i> =  <i>Mahonia aquifolium</i>  (12) <i>Calluna vulgaris</i> = <i>Erica vulgaris</i>  (13) <i>Calycanthus occidentalis</i>  (14) <i>Camellia</i> spp.  (15) <i>Castanea sativa</i>  (16) <i>Castanopsis orthacantha</i>  (17) <i>Ceanothus thyrsiflorus</i>  (18) <i>Cercis chinensis</i>  (19) <i>Cinnamomum camphora</i>  (20) <i>Clintonia andrewsiana</i>  (21) <i>Cornus kousa</i> x <i>C. capitata</i>  (22) <i>Corylopsis spicata</i>  (23) <i>Corylus cornuta</i>  (24) <i>Distylium myricoides</i>  (25) <i>Drimys winteri</i>  (26) <i>Dryopteris arguta</i>  (27) <i>Eucalyptus haemastoma</i>  (28) <i>Euonymus kiautschovicus</i>  (29) <i>Fagus sylvatica</i>  (30) <i>Frangula californica</i> =  <i>Rhamnus californica</i>  (31) <i>Frangula purshiana</i> =  <i>Rhamnus purshiana</i>  (32) <i>Fraxinus excelsior</i>  (33) <i>Fraxinus latifolia</i>  (34) <i>Garrya elliptica</i>  (35) <i>Gaultheria shallon</i>  (36) <i>Griselinia littoralis</i>  (37) <i>Hamamelis</i> spp.</p>	<p style="text-align: center;"><b>Europe</b></p> <p>(1) Belgium  (2) Channel Island(British)  (3) Denmark  (4) France  (5) Germany  (6) Ireland  (7) Italy  (8) Netherlands  (9) Norway  (10) Poland  (11) Slovenia  (12) Spain  (13) Sweden  (14) Switzerland  (15) United Kingdom</p> <p style="text-align: center;"><b>North America</b></p> <p>(16) Canada(British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge))  (17) United States (California, Florida, Georgia, Oregon and Washington)</p>	<p><i>Phytophthora ramorum</i>  Werres, De Cock &amp; Man in't Veld</p>



<p>(38) <i>Heteromeles arbutifolia</i>  (39) <i>Ilex purpurea</i>  (40) <i>Kalmia</i> spp.  (41) <i>Laurus nobilis</i>  (42) <i>Leucothoe axillaris</i>  (43) <i>Leucothoe fontanesiana</i>  (44) <i>Lithocarpus densiflorus</i>  (45) <i>Lonicera hispidula</i>  (46) <i>Loropetalum chinense</i>  (47) <i>Magnolia</i> spp.  (48) <i>Maianthemum racemosum</i> =  <i>Smilacina racemosa</i>  (49) <i>Manglietia insignis</i>  (50) <i>Michelia</i> spp.  (51) <i>Nerium oleander</i>  (52) <i>Nothofagus obliqua</i>  (53) <i>Osmanthus</i> spp.  (54) <i>Osmorhiza berteroi</i>  (55) <i>Parakmeria lotungensis</i>  (56) <i>Parrotia persica</i>  (57) <i>Photinia fraseri</i>  (58) <i>Physocarpus opulifolius</i>  (59) <i>Pieris</i> spp.  (60) <i>Pittosporum undulatum</i>  (61) <i>Prunus laurocerasus</i>  (62) <i>Prunus lusitanica</i>  (63) <i>Pseudotsuga menziesii</i>  (64) <i>Pyracantha koidzumii</i>  (65) <i>Quercus</i> spp.  (66) <i>Rhododendron</i> spp.  (67) <i>Rosa gymnocarpa</i>  (68) <i>Rosa rugosa</i>  (69) <i>Rubus spectabilis</i>  (70) <i>Salix caprea</i>  (71) <i>Schima wallichii</i>  (72) <i>Sequoia sempervirens</i>  (73) <i>Syringa vulgaris</i>  (74) <i>Taxus</i> spp.  (75) <i>Torreya californica</i>  (76) <i>Toxicodendron diversilobum</i>  (77) <i>Trientalis latifolia</i>  (78) <i>Umbellularia californica</i>  (79) <i>Vaccinium ovatum</i>  (80) <i>Vancouveria planipetala</i>  (81) <i>Viburnum</i> spp.</p>		
<p>50. Entire or any part of the following plants (excluding fruits and seeds) :  (1) <i>Amelanchier</i> spp.  (2) <i>Aronia</i> spp.</p>	<p style="text-align: center;"><b>Asia and Pacific Region</b></p> <p>(1) Armenia  (2) Azerbaijan  (3) Belarus  (4) China  (5) Georgia</p>	<p>Fire blight  (<i>Erwinia amylovora</i>  (Burrill) Winslow <i>et al.</i>)</p>

<p>(3) <i>Chaenomeles</i> spp.  (4) <i>Cotoneaster</i> spp.  (5) <i>Crataegus</i> spp.  (6) <i>Crataegomespilus</i> spp.  (7) <i>Cydonia</i> spp.  (8) <i>Dichotomanthes</i> spp.  (9) <i>Docynia</i> spp.  (10) <i>Eriobotrya japonica</i>  (11) <i>Malus</i> spp.  (12) <i>Mespilus</i> spp.  (13) <i>Osteomeles</i> spp.  (14) <i>Peraphyllum</i> spp.  (15) <i>Photinia</i> spp. (<i>Heteromeles</i> spp.)  (16) <i>Prunus</i> spp.  (17) <i>Pyracantha</i> spp.  (18) <i>Pyrus</i> spp.  (19) <i>Raphiolepis</i> spp.  (20) <i>Rubus</i> spp.  (21) <i>Sorbus</i> spp.  (22) <i>Spiraea</i> spp.  (23) <i>Stranvaesia</i> spp.</p>	<p>(6) India  (7) Israel  (8) Jordan  (9) Kazakhstan  (10) Kyrgyz  (11) Lebanon  (12) Moldova  (13) New Zealand  (14) Russian Federation  (15) Saudi Arabia  (16) Tajikistan  (17) Turkey  (18) Turkmenistan  (19) Ukraine  (20) Uzbekistan  (21) Vietnam    Africa  (22) Egypt    Europe  (23) Albania  (24) Austria  (25) Belgium  (26) Bosnia and Herzegovina  (27) Bulgaria  (28) Croatia  (29) Czech  (30) Cyprus  (31) Denmark  (32) Estonia  (33) France  (34) Germany  (35) Greece  (36) Hungary  (37) Ireland  (38) Italy  (39) Latvia  (40) Lithuania  (41) Luxembourg  (42) Macedonia  (43) Netherlands  (44) Norway  (45) Poland  (46) Romania  (47) Serbia and Montenegro  (48) Slovakia  (49) Spain  (50) Sweden  (51) Switzerland  (52) United Kingdom    North America  (53) Canada</p>	
---	---	--

	(54) Mexico (55) United States <b>Central and South America</b> (56) Bermuda (57) Brazil (58) Guatemala (59) Venezuela	
51. Fresh fruits of the following plants: (1) <i>Anacardium occidentale</i> (2) <i>Annona</i> spp. (3) <i>Capsicum</i> spp. (4) <i>Carica papaya</i> (5) <i>Casimiroa</i> spp. (6) <i>Citrus</i> spp. (7) <i>Coffea arabica</i> (8) <i>Cydonia oblonga</i> (9) <i>Diospyros kaki</i> (10) <i>Eriobotrya japonica</i> (11) <i>Feijoa sellowiana</i> (12) <i>Ficus</i> spp. (13) <i>Fortunella</i> spp. (14) <i>Inga</i> spp. (15) <i>Lycopersicum esculentum</i> (16) <i>Malus</i> spp. (17) <i>Mammea</i> spp. (18) <i>Mangifera indica</i> (19) <i>Manilkara zapota</i> = <i>Achras sapota</i> (20) <i>Mastichodendron capiri</i> (21) <i>Passiflora edulis</i> (22) <i>Persea americana</i> (23) <i>Poncirus</i> spp. (24) <i>Pouteria</i> spp. (25) <i>Prunus</i> spp. (26) <i>Psidium</i> spp. (27) <i>Punica granatum</i> (28) <i>Pyrus</i> spp. (29) <i>Sargentia greggii</i> (30) <i>Spondias</i> spp. (31) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.	<b>North America</b> (1) Mexico (2) United States(Texas) <b>Central and South America</b> (3) Belize (4) Costa Rica (5) El Salvador (6) Guatemala (7) Honduras (8) Nicaragua	Mexican fruit fly ( <i>Anastrepha ludens</i> (Loew))
52. Fresh fruits of the following plants: (1) <i>Ampelocera hottlei</i> (2) <i>Anacardium occidentale</i> (3) <i>Annona glabra</i> (4) <i>Annona hayesii</i> (5) <i>Averrhoa carambola</i> (6) <i>Brosimum alicastrum</i> (7) <i>Capsicum annuum</i>	<b>North America</b> (1) Mexico <b>Central and South America</b> (2) Antigua and Barbuda (3) Argentina (4) Bahamas (5) Barbados (6) Belize (7) Brazil	West Indian fruit fly ( <i>Anastrepha obliqua</i> Macquart = <i>A. mombinpraeoptans</i> Sein)

<p>(8) <i>Chrysobalanus icaco</i>  (9) <i>Citrus</i> spp.  (10) <i>Coffea arabica</i>  (11) <i>Couma guianensis</i>  (12) <i>Diospyros</i> spp.  (13) <i>Dovyalis hebecarpa</i>  (14) <i>Eriobotrya japonica</i>  (15) <i>Fortunella</i> spp.  (16) <i>Malpighia glabra</i>  (17) <i>Mangifera indica</i>  (18) <i>Manilkara zapota</i> = <i>Achras sapota</i>  (19) <i>Myrcia eximia</i>  (20) <i>Myrciaria cauliflora</i>  (21) <i>Myrciaria dubia</i>  (22) <i>Passiflora edulis</i>  (23) <i>Passiflora quadrangulari</i>  (24) <i>Poncirus</i> spp.  (25) <i>Pouteria</i> spp.  (26) <i>Prunus</i> spp.  (27) <i>Psidium</i> spp.  (28) <i>Pyrus communis</i>  (29) <i>Spondias</i> spp.  (30) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.  (31) <i>Terminalia catappa</i>  (32) <i>Vitis vinifera</i></p>	<p>(8) Virgin Islands (British)  (9) Costa Rica  (10) Colombia  (11) Cuba  (12) Dominica  (13) Dominican Republic  (14) Ecuador  (15) Grenada  (16) Guadeloupe  (17) Guatemala  (18) Guyana  (19) Haiti  (20) Honduras  (21) Jamaica  (22) Martinique  (23) Montserrat  (24) Nicaragua  (25) Panama  (26) Paraguay  (27) Peru  (28) Puerto Rico  (29) Saint Christopher &amp; Nevis  (30) Saint Lucia  (31) Saint Vincent and the Grenadines  (32) Suriname  (33) Trinidad and Tobago  (34) Virgin Islands (United States)  (35) Venezuela</p>	
<p>53. Fresh fruits of the following plants :</p> <p>(1) <i>Actinidia chinensis</i>  (2) <i>Ampelocera hottlei</i>  (3) <i>Annona</i> spp.  (4) <i>Averrhoa carambola</i>  (5) <i>Citrus</i> spp.  (6) <i>Chrysophyllum gonocarpum</i>  (7) <i>Coffea arabica</i>  (8) <i>Coffea liberica</i>  (9) <i>Cydonia oblonga</i>  (10) <i>Diospyros</i> spp.  (11) <i>Dovyalis hebecarpa</i>  (12) <i>Eriobotrya japonica</i>  (13) <i>Feijoa sellowiana</i>  (14) <i>Ficus carica</i>  (15) <i>Fortunella</i> spp.  (16) <i>Fragaria vesca</i>  (17) <i>Inga</i> spp.  (18) <i>Juglans</i> spp.  (19) <i>Malus</i> spp.  (20) <i>Mangifera indica</i></p>	<p style="text-align: center;"><b>North America</b></p> <p>(1) Mexico</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(2) Antigua and Barbuda  (3) Argentina  (4) Bahamas  (5) Barbados  (6) Bolivia  (7) Brazil  (8) Colombia  (9) Costa Rica  (10) Cuba  (11) Dominica  (12) Dominican Republic  (13) Ecuador  (14) Grenada  (15) Guatemala  (16) Guyana  (17) Haiti  (18) Jamaica  (19) Nicaragua  (20) Panama</p>	<p>South American fruit fly (<i>Anastrepha fraterculus</i> (Wiedemann))</p>

<p>(21) <i>Manilkara zapota</i>=<i>Achras sapota</i>  (22) <i>Myrcianthes pungens</i>  (23) <i>Olea europaea</i>  (24) <i>Passiflora caerulea</i>  (25) <i>Persea americana</i>  (26) <i>Phyllanthus acidus</i>  (27) <i>Poncirus</i> spp.  (28) <i>Pouteria obovata</i>  (29) <i>Prunus</i> spp.  (30) <i>Psidium</i> spp.  (31) <i>Punica granatum</i>  (32) <i>Pyrus</i> spp.  (33) <i>Solanum quitoense</i>  (34) <i>Spondias</i> spp.  (35) <i>Syzygium</i> spp.=<i>Eugenia</i> spp.  (36) <i>Terminalia catappa</i>  (37) <i>Theobroma cacao</i>  (38) <i>Turpinia paniculata</i>  (39) <i>Vitis vinifera</i>  (40) <i>Ximenia americana</i></p>	<p>(21) Paraguay  (22) Peru  (23) Puerto Rico  (24) Saint Christopher &amp; Nevis  (25) Saint Lucia  (26) Saint Vincent and the Grenadines  (27) Suriname  (28) Trinidad and Tobago  (29) Uruguay  (30) Venezuela</p>	
<p>54. Fresh fruits of the following plants :</p> <p>(1) <i>Alchornea latifolia</i>  (2) <i>Annona</i> spp.  (3) <i>Byrsonima crassifolia</i>  (4) <i>Capsicum annuum</i>  (5) <i>Carica papaya</i>  (6) <i>Carissa macrocarpa</i>  (7) <i>Citrofortunella x mitis</i>  (8) <i>Citrus</i> spp.  (9) <i>Cydonia oblonga</i>  (10) <i>Diospyros digyna</i>  (11) <i>Dovyalis hebecarpa</i>  (12) <i>Eriobotrya japonica</i>  (13) <i>Eugenia uniflora</i>  (14) <i>Fortunella</i> spp.  (15) <i>Lacmellea panamensis</i>  (16) <i>Lycopersicon esculentum</i>  (17) <i>Malus</i> spp.  (18) <i>Mammea americana</i>  (19) <i>Mangifera indica</i>  (20) Moraceae  (21) <i>Persea americana</i>  (22) <i>Poncirus</i> spp.  (23) <i>Prunus avium</i>  (24) <i>Prunus persica</i>  (25) <i>Psidium guajava</i>  (26) <i>Pyrus</i> spp.  (27) Sapotaceae  (28) <i>Spondias</i> spp.</p>	<p style="text-align: center;"><b>North America</b></p> <p>(1) Mexico</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(2) Argentina  (3) Brazil  (4) Colombia  (5) Costa Rica  (6) Dominica  (7) Dominican Republic  (8) Ecuador  (9) French Guiana  (10) El Salvador  (11) Guatemala  (12) Guyana  (13) Honduras  (14) Netherlands Antilles  (15) Nicaragua  (16) Panama  (17) Peru  (18) Suriname  (19) Trinidad and Tobago  (20) Venezuela</p>	<p>Black fruit fly  (<i>Anastrepha serpentina</i> Wiede-mann)</p>

(29) <i>Syzygium malaccense</i> (30) <i>Terminalia catappa</i>		
<p>55. Living materials for propagative purpose of the following plants (excluding seeds) :</p> <p>(1) <i>Acacia longifolia</i>  (2) <i>Acer</i> spp.  (3) <i>Aesculus californica</i>  (4) <i>Alnus rhombifolia</i>  (5) <i>Ampelopsis arborea</i>  (6) <i>Artemisia douglasiana</i>  (7) <i>Avena fatua</i>  (8) <i>Baccharis pilularis</i>  (9) <i>Baccharis salicifolia</i>  (10) <i>Bromus</i> spp.  (11) <i>Callicarpa americana</i>  (12) <i>Callistephus chinensis</i>  (13) <i>Canna</i> spp.  (14) <i>Chenopodium ambrosioides</i>  (15) <i>Chenopodium quinoa</i>  (16) <i>Citrus</i> spp.  (17) <i>Claytonia perfoliata</i>  (18) <i>Coffea</i> spp.  (19) <i>Conium maculatum</i>  (20) <i>Coprosma baueri</i>  (21) <i>Cotoneaster rotundifolia</i>  (22) <i>Cynodon dactylon</i>  (23) <i>Cyperus eragrostis</i>  (24) <i>Cyperus esculentus</i>  (25) <i>Cytisus scoparius</i>  (26) <i>Daucus carota</i> var. <i>sativa</i>  (27) <i>Digitaria sanguinalis</i>  (28) <i>Duranta repens</i>  (29) <i>Echinochloa crusgalli</i>  (30) <i>Epilobium californicum</i>  (31) <i>Epilobium paniculatum</i>  (32) <i>Eragrostis diffusa</i>  (33) <i>Erodium cicutarium</i>  (34) <i>Escallonia montevidensis</i>  (35) <i>Eugenia myrtifolia</i>  (36) <i>Fortunella</i> spp.  (37) <i>Fragaria californica</i>  (38) <i>Franseria acanthicarpa</i>  (39) <i>Fraxinus dipetala</i>  (40) <i>Fraxinus latifolia</i>  (41) <i>Fuchsia magellanica</i>  (42) <i>Genista monspessulana</i>  (43) <i>Hedera helix</i>  (44) <i>Heteromeles arbutifolia</i>  (45) <i>Hordeum murinum</i>  (46) <i>Hordeum vulgare</i></p>	<p style="text-align: center;"><b>North America</b></p> <p>(1) United States</p> <p style="text-align: center;"><b>Central and South America</b></p> <p>(2) Argentina  (3) Brazil  (4) Costa Rica  (5) Paraguay  (6) Venezuela</p>	<p><i>Xylella fastidiosa</i></p>

<p>(47) <i>Hydrangea paniculata</i>  (48) <i>Lactuca serriola</i>  (49) <i>Lathyrus</i> spp.  (50) <i>Liquidambar styraciflua</i>  (51) <i>Lolium multiflorum</i>  (52) <i>Lolium temulentum</i>  (53) <i>Lonicera japonica</i>  (54) <i>Majorana hortensis</i>  (55) <i>Medicago hispida</i>  (56) <i>Medicago sativa</i>  (57) <i>Melilotus</i> spp.  (58) <i>Melissa officinalis</i>  (59) <i>Mentha</i> spp.  (60) <i>Morus alba</i>  (61) <i>Nerium oleander</i>  (62) <i>Oenanthe sarmentosa</i>  (63) <i>Oenothera hookeri</i>  (64) <i>Parthenocissus</i>  <i>quinquefolia</i>  (65) <i>Parthenocissus tricuspidata</i>  (66) <i>Paspalum dilatatum</i>  (67) <i>Pelargonium hortorum</i>  (68) <i>Pennisetum clandestinum</i>  (69) <i>Phalaris minor</i>  (70) <i>Phalaris paradoxa</i>  (71) <i>Phleum pratense</i>  (72) <i>Pittosporum crassifolium</i>  (73) <i>Platanus occidentalis</i>  (74) <i>Poa annua</i>  (75) <i>Polygonum convolvulus</i>  (76) <i>Polygonum persicaria</i>  (77) <i>Poncirus</i> spp.  (78) <i>Populus fremontii</i>  (79) <i>Portulaca oleracea</i>  (80) <i>Prunus</i> spp.  (81) <i>Quercus agrifolia</i>  (82) <i>Quercus lobata</i>  (83) <i>Reseda odorata</i>  (84) <i>Rosa californica</i>  (85) <i>Rosmarinus officinalis</i>  (86) <i>Rubus</i> spp.  (87) <i>Rumex crispus</i>  (88) <i>Sambucus canadensis</i>  (89) <i>Sambucus mexicana</i>  (90) <i>Setaria lutescens</i>  (91) <i>Sonchus asper</i>  (92) <i>Sorghum halepense</i>  (93) <i>Sorghum vulgare</i>  (94) <i>Symphoricarpos albus</i>  (95) <i>Syringa vulgaris</i>  (96) <i>Toxicodendron</i></p>		
---	--	--

(97) <i>Trifolium</i> spp. (98) <i>Ulmus</i> spp. (99) <i>Umbellularia californica</i> (100) <i>Urtica dioica</i> (101) <i>Veronica</i> spp. (102) <i>Vicia faba</i> (103) <i>Vicia monathus</i> (104) <i>Vinca major</i> (105) <i>Vitis</i> spp. (106) <i>Vulpia myuros</i> var. <i>hirsuta</i> (107) <i>Xanthium strumarium</i>		
---	--	--

2. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the country or district listed in the table, they will be treated as prohibited plants or plant products.

3. To apply for importation of plant or plant product for the first time from a country or district where is in the immediate vicinity of a quarantine pest area, and has similar climate and crops to those of the area, but has insufficient reports or no report at all about the pest status, the importer or the agent shall submit information as follows to obtain approval for the importation from the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, Executive Yuan.(BAPHIQ)

3.1 The official survey data and the general surveillance record of the pests. The duration of survey shall be in compliance with the time period required in the “Procedures for Recognition of Pest Free Areas.”

3.2 The information of cultivation management of the plant/plant product, including producing areas, yield, harvest season and the post-harvest process.

3.3 The pest list of the plant/plant product, including the information of pest control and the list of chemical used.

3.4 The export inspection procedure and the procedure of issuing the Phytosanitary Certificate.

After the document review is cleared, if necessary, BAPHIQ will dispatch quarantine officers to conduct an on-site inspection of the exporting country. When the country or district is approved as pest free area and the pest risk assessment of the plant/plant product is also approved, BAPHIQ will then permit the importation of plant/plant product from the country or district, in accordance with import quarantine requirements.

4. Hong Kong, Singapore and Macau are free ports and therefore regarded as countries or districts where plants or plant products are prohibited to import.

5. Whoever intends to import designated fresh fruit for the first time from a country or district where the Mediterranean fruit fly is known to occur has to apply for approval of importation from BAPHIQ and submit information as follow.

5.1 The information of cultivation management of the designated fresh fruit, including producing areas, yield, harvest season and the post-harvest process.

5.2 The pest list of the designated fresh fruit, including the information of pest control and the list of chemical used.

5.3 The last one year data of status of Mediterranean fruit fly including population density survey record of Mediterranean fruit fly, and the official control projects, regulation and control result of Mediterranean fruit fly.

5.4 The export inspection procedure and the procedure of issuance the Phytosanitary Certificate.

If the document review is cleared, BAPHIQ will then dispatch quarantine officers to conduct an on-site inspection for verification and inspection of quarantine measures. If the measures are in compliance with the quarantine requirements, BAPHIQ will permit the



importation of the fresh fruit from the country or district, in accordance with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where the Mediterranean Fruit Fly Is Known to Occur.”

## B. Quarantine Requirements for Enterable Plants or Plant Products under Precautionary Requirements

Pursuant to Paragraph 2, Article 16, Plant Protection and Quarantine Act

1. Names of enterable plants or plant products, countries or districts of their origin, and entry requirements.

Plants or Plant Products	Countries or Districts of Origin	Diseases or Pests	Quarantine Requirements
1. Fresh fruits of the following plants: (1) Apple (2) Pear (3) Peach (4) Apricot (5) Quince (6) Plum (7) Cherry (8) Shelled walnut (9) Nectarine (10) Pomegranate	<b>Asia and Pacific Region</b> (1) Afghanistan (2) Armenia (3) Australia (4) Azerbaijan (5) Belarus (6) Cyprus (7) Georgia (8) India (9) Iran (10) Iraq (11) Israel (12) Jordan (13) Kazakhstan (14) Kyrgyz (15) Lebanon (16) China (17) Moldova (18) Myanmar (19) New Zealand (20) Pakistan (21) Russian Federation (22) Saudi Arabia (23) Syrian Arab (24) Tajikistan (25) Turkey (26) Turkmenistan (27) Ukraine (28) Uzbekistan <b>Africa</b> (29) All countries and districts in Africa <b>Europe</b> (30) All countries and districts in Europe <b>North America</b> (31) Canada (32) United States (excluding Hawaii) <b>Central and South America</b> (33) Argentina	Codling moth ( <i>Cydia pomonella</i> L.)	1. The importation of apples shall be in compliance with the following requirements: (1) Fresh apple from New Zealand should be in compliance with "Quarantine Requirements for The Importation of Apples from New Zealand" (2) Fresh apple from other countries should be in compliance with "Quarantine Requirements for The Importation of Apples from Countries or Districts Where The Codling Moth Is Known to Occur." 2. Fresh fruits other than apple, when imported, shall be accompanied by phytosanitary certificates issued by the plant quarantine authority of exporting countries, stating that the fruits have been thoroughly inspected and found free from <i>Cydia pomonella</i> L., or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.

	(34) Bolivia (35) Brazil (36) Chile (37) Colombia (38) Peru (39)Uruguay		
2. Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Gaylussacia baccata</i> (3) <i>Malus pumila</i> (4) <i>Malus sylvestris</i> (5) <i>Prunus armeniaca</i> (6) <i>Prunus avium</i> (7) <i>Prunus cerasus</i> (8) <i>Prunus persica</i> (9) <i>Prunus salicina</i> (10) <i>Pyracantha coccinea</i> (11) <i>Pyrus communis</i> (12) <i>Rosa rugosa</i> (13) <i>Rosa virginiana</i> (14) <i>Vaccinium</i> spp.	<b>North America</b> (1) Canada (2) United States <b>Central and South America</b> (3) Mexico	Apple maggot ( <i>Rhagoletis pomonella</i> (Walsh))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Rhagoletis pomonella</i> (Walsh), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.
3. ( deleted )			
4. ( deleted )			
5. ( moved to A. 29 )			
6. ( deleted )			
7. Stems, leaves, buds, tubers, and fresh fruits of the following living plants : (1) <i>Beta vulgaris</i> var. <i>saccharifera</i> (2) Solanaceae	<b>Asia and Pacific Region</b> (1) Australia (2) Bangladesh (3) China (4) Fiji (5) French Polynesia (6) Guam (7) India (8) Indonesia (9) Iraq (10) Israel (11) Japan (12) Jordan (13) Korea, Republic of (14) Lebanon (15) Marquesas Islands (16) Myanmar (17) Nepal (18) New Caledonia (19) New Zealand	Potato tuber moth ( <i>Phthorimaea operculella</i> (Zeller))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting countries, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phthorimaea operculella</i> (Zeller); or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

	<p>(20) Pakistan  (21) Papua New Guinea  (22) Philippines  (23) Russian Federation  (24) Saudi Arabia  (25) Sri Lanka  (26) Syria  (27) Thailand  (28) Turkey  (29) Vietnam  (30) Yemen</p> <p style="text-align: center;"><b>Africa</b></p> <p>(31) Algeria  (32) Burundi  (33) Canary Islands  (34) Democratic  Republic of the  Congo  (35) Congo  (36) Egypt  (37) Ethiopia  (38) Kenya  (39) Lesotho  (40) Liberia  (41) Libya  (42) Madagascar  (43) Malawi  (44) Mauritius  (45) Morocco  (46) Rwanda  (47) Reunion  (48) Saint Helena  (49) Senegal  (50) Seychelles  (51) South Africa  (52) Sudan  (53) Swaziland  (54) Tanzania  (55) Tunisia  (56) Zambia  (57) Zimbabwe</p> <p style="text-align: center;"><b>Europe</b></p> <p>(58) Albania  (59) Bulgaria  (60) Croatia  (61) Cyprus  (62) France  (63) Greece  (64) Italy  (65) Malta  (66) Portugal</p>		
--	--	--	--

	(67) Romania (68) Serbia and Montenegro (69) Slovenia (70) Spain <b>North America</b> (71) Canada (72) Mexico (73) United States <b>Central and South America</b> (74) Antigua and Barbuda (75) Argentina (76) Bermuda (77) Bolivia (78) Brazil (79) Chile (80) Colombia (81) Costa Rica (82) Cuba (83) Dominican Republic (84) Haiti (85) Jamaica (86) Netherlands Antilles (87) Paraguay (88) Peru (89) Puerto Rico (90) Saint Vincent and the Grenadines (91) Uruguay (92) Venezuela		
8. Stems and leaves of living Solanaceae plants	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Belarus (4) China (5) Georgia (6) Iran (7) Iraq (8) Kazakhstan (9) Kyrgyz (10) Moldova (11) Russian Federation (12) Tajikistan (13) Turkey (14) Turkmenistan (15) Ukraine	Colorado beetle ( <i>Leptinotarsa decemlineata</i> Say)	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Leptinotarsa decemlineata</i> Say; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

	(16) Uzbekistan <b>Europe</b> (17) Albania (18) Andorra (19) Austria (20) Belgium (21) Bosnia and Herzegovina (22) Bulgaria (23) Croatia (24) Czech (25) Denmark (26) Estonia (27) France (28) Germany (29) Greece (30) Hungary (31) Italy (32) Latvia (33) Lithuania (34) Luxembourg (35) Macedonia (36) Montenegro (37) Netherlands (38) Poland (39) Portugal (40) Romania (41) Serbia (42) Slovak (43) Slovenia (44) Spain (45) Sweden (46) United Kingdom <b>North America</b> (47) Canada (48) Mexico (49) United States <b>Central and South America</b> (50) Cuba (51) Guatemala		
9. Fresh fruits of the following plants: (1) <i>Crataegus oxycantha</i> (2) <i>Cydonia oblonga</i> (3) <i>Diospyros kaki</i> (4) <i>Fragaria ananassa</i> (5) <i>Gaylussacia baccata</i>	<b>North America</b> (1) Canada (2) United States	Plum curculio ( <i>Conotrachelus nenuphar</i> (Herbst))	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Conotrachelus nenuphar</i>

<p>(6) <i>Malus pumila</i> (<i>M. domestica</i>)  (7) <i>Malus sylvestris</i>  (8) <i>Prunus</i> spp.  (9) <i>Pyrus</i> spp.  (10) <i>Ribes</i> spp.  (11) <i>Vaccinium</i> spp.  (12) <i>Vitis vinifera</i></p>			<p>(Herbst), or stating that the fruits have undergone an appropriate quarantine treatment prior to shipment.</p>
<p>10. Underground portion of the following living plants:  (1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i>  (2) <i>Allium cepa</i>  (3) <i>Apium graveolens</i>  (4) <i>Arachis hypogaea</i>  (5) <i>Avena sativa</i>  (6) <i>Beta vulgaris</i>  (7) <i>Brassica</i> spp.  (8) <i>Calendula officinalis</i>  (9) <i>Capsicum annuum</i>  (10) <i>Corylus</i> spp.  (11) <i>Chrysanthemum mouifollum</i>  (12) <i>Citrus</i> spp.  (13) Cucurbitaceae  (14) <i>Dahlia hybrida</i>  (15) <i>Daucus carota</i>  (16) <i>Diospyros kaki</i>  (17) <i>Fragaria ananassa</i>  (18) <i>Gossypium arboreum</i>  (19) <i>Iris</i> spp.  (20) <i>Lens culnaris</i>  (20) <i>Glycine max</i>  (21) <i>Ipomoea batatas</i>  (22) <i>Lilium</i> spp.  (23) <i>Lolium perenne</i>  (24) <i>Lycopersicum esculentum</i>  (25) <i>Medicago sativa</i>  (26) <i>Mucuna pruriens</i>  (27) <i>Nicotiana tabacum</i>  (28) <i>Phaseolus</i></p>	<p><b>Asia and Pacific Region</b>  (1) Australia  (2) New Zealand  <b>Africa</b>  (3) Lesotho  (4) South Africa  (5) Swaziland  <b>North America</b>  (6) United States  <b>Central and South America</b>  (7) Argentina  (8) Brazil  (9) Chile  (10) Peru  (11) Uruguay</p>	<p>White fringed beetle (<i>Naupactus leucoloma</i> Boheman)</p>	<p>The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Naupactus leucoloma</i> (Boheman), or stating that the plants or plant parts have undergone a quarantine treatment prior to shipment.</p>

<p><i>vulgaris</i>  (29) <i>Raphanus sativus</i> L.  (30) <i>Rubus palmatus</i>  (31) <i>Solanum melongena</i>  (32) <i>Solanum tuberosum</i>  (33) <i>Trifolium</i> spp.  (34) <i>Triticum aestivum</i>  (35) <i>Vernicia fordii</i> = <i>Aleurites fordii</i>  (36) <i>Zea mays</i>  (37) <i>Zinnia elegans</i></p>			
<p>11. Entire or any part of the following living plants (excluding seeds):  (1) <i>Cydonia oblonga</i>  (2) <i>Prunus</i> spp.  (3) <i>Malus</i> spp.  (4) <i>Pyrus</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Armenia  (2) Azerbaijan  (3) Belarus  (4) China  (5) Georgia  (6) India  (7) Iran  (8) Iraq  (9) Israel  (10) Kazakhstan  (11) Kyrgyz  (12) Lebanon  (13) Moldova  (14) Myanmar  (15) Pakistan  (16) Russian Federation  (17) Syria  (18) Tajikistan  (19) Turkey  (20) Turkmenistan  (21) Ukraine  (22) Uzbekistan  <b>Africa</b>  (23) Algeria  (24) Egypt  (25) Libyan  (26) Morocco  (27) Tunisia  <b>Europe</b>  (28) All countries and districts in Europe  <b>North America</b>  (29) Canada</p>	<p>Peach twig borer (<i>Anarsia lineatella</i> Zeller)</p>	<p>The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Anarsia lineatella</i> Zeller; or stating that the plants or plant parts have undergone an quarantine treatment prior to shipment.</p>



	(30) United States		
12. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) China (2) Japan (3) Fiji (4) Korea, Democratic People's Republic (5) Korea, Republic of <b>Europe</b> (6) France	Arrow head scale ( <i>Unaspis yanonensis</i> (Kuwana))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Unaspis yanonensis</i> (Kuwana) or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
13. Entire or any part of the following living plants (excluding seeds): (1) <i>Citrus</i> spp. (2) <i>Fortunella</i> spp. (3) <i>Poncirus</i> spp.	<b>Asia and Pacific Region</b> (1) India	<i>Throscoryssa citri</i> Maulik	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Throscoryssa citri</i> Maulik; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
14. Entire or any part of living plants (excluding seeds and underground portion) (1) <i>Aesculus</i> spp. (2) <i>Allium</i> spp. (3) <i>Alnus</i> spp. (4) <i>Alstroemeria</i> spp. (5) <i>Althaea</i> spp. (6) <i>Amaranthus</i> spp. (7) <i>Anagallis arvensis</i> (8) <i>Anthurium</i> spp. (9) <i>Antirrhinum majus</i> (10) <i>Asclepias</i> spp.	<b>Asia and Pacific Region</b> (1) Australia (2) China (3) Georgia (4) Indonesia (5) Israel (6) Japan (7) Korea, Democratic People's Republic (8) Korea, Republic of (9) Kuwait (10) Malaysia (11) New Zealand (12) Russian Federation (13) Lebanon (14) Sri Lanka (15) Thailand	Western flower thrip ( <i>Frankliniella occidentalis</i> (Pergande))	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Frankliniella occidentalis</i> ; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

(11) <i>Asparagus officinalis</i>	(16) Turkey		
(12) <i>Begonia</i> spp.	<b>Africa</b>		
(13) <i>Berzelia</i> spp.	(17) Canary Islands		
(14) <i>Bougainvillea spectabilis</i>	(18) Kenya		
(15) <i>Bouvardia</i> spp.	(19) Lesotho		
(16) Brassicaceae	(20) Reunion		
(17) <i>Brunia laevis</i>	(21) South Africa		
(18) <i>Calceolaria</i> spp.	(22) Swaziland		
(19) <i>Calluna vulgaris</i> = <i>Erica vulgaris</i>	(23) Zimbabwe		
(20) <i>Calotropis gigantea</i>	<b>Europe</b>		
(21) <i>Carya illinoensis</i>	(24) All countries and districts in Europe		
(22) <i>Celastrus</i> spp.	<b>North America</b>		
(23) <i>Celosia</i> spp.	(25) Canada		
(24) <i>Cerastium glomeratum</i>	(26) Mexico		
(25) <i>Chamelaucium</i> spp.	(27) United States		
(26) Chenopodiaceae	<b>Central and South America</b>		
(27) <i>Citrus</i> spp.	(28) Argentina		
(28) <i>Codiaeum</i> spp.	(29) Brazil		
(29) Compositae	(30) Chile		
(30) Cucurbitaceae	(31) Dominican Republic		
(31) <i>Cyclamen</i> spp.	(32) Ecuador		
(32) <i>Dianthus</i> spp.	(33) Guatemala		
(33) <i>Digitaria ciliaris</i>	(34) Colombia		
(34) <i>Diospyros kaki</i>	(35) Costa Rica		
(35) <i>Echinochloa crus-galli</i>	(36) French Guiana		
(36) <i>Echium plantagineum</i>	(37) Guyana		
(37) <i>Eremurus</i> spp.	(38) Martinique		
(38) <i>Eschscholzia californica</i>	(39) Peru		
(39) <i>Euphorbia</i> spp.	(40) Puerto Rico		
(40) <i>Eustoma</i> spp. = <i>Lisianthus</i> spp.	(41) Uruguay		
(41) <i>Ficus</i> spp.	(42) Venezuela		
(42) <i>Freesia</i> spp.			
(43) <i>Fuchsia</i> spp.			
(44) <i>Gentiana</i> spp.			
(45) <i>Geranium</i> spp.			
(46) Gesneriaceae			
(47) <i>Gladiolus</i> spp.			

(48) <i>Gossypium</i> spp.			
(49) <i>Gypsophila</i> spp.			
(50) <i>Heliotropium</i> <i>europaeum</i>			
(51) <i>Hemerocallis</i> spp.			
(52) <i>Hibiscus</i> spp.			
(53) <i>Hippeastrum</i> spp.			
(54) <i>Hordeum</i> spp.			
(55) <i>Hydrangea</i> spp.			
(56) <i>Hypericum</i> spp.			
(57) <i>Impatiens</i> spp.			
(58) <i>Ipomoea</i> spp.			
(59) <i>Iris</i> spp.			
(60) <i>Jasminum</i> <i>sambac</i>			
(61) <i>Kalanchoe</i> spp.			
(62) Labiatae			
(63) <i>Lantana</i> spp.			
(64) <i>Laurus</i> spp.			
(65) Leguminosae			
(66) <i>Leptospermum</i> spp.			
(67) <i>Leucospermum</i> spp.			
(68) <i>Lilium</i> spp.			
(69) <i>Limonium</i> spp.			
(70) <i>Linnaea</i> <i>borealis</i>			
(71) <i>Malva</i> spp.			
(72) <i>Mangifera</i> <i>indica</i>			
(73) <i>Mollugo</i> <i>verticillata</i>			
(74) <i>Oenothera</i> spp.			
(75) Orchidaceae			
(76) <i>Ornithogalum</i> spp.			
(77) <i>Oxalis</i> spp.			
(78) <i>Papaver rhoeas</i>			
(79) <i>Pelargonium</i> spp.			
(80) <i>Persea</i> spp.			
(81) <i>Pistacia vera</i>			
(82) <i>Polianthes</i> spp.			
(83) <i>Portulaca</i> <i>grandiflora</i>			
(84) <i>Primula</i> spp.			
(85) <i>Protea</i> spp.			
(86) <i>Punica</i>			

<p>(87) <i>Quercus</i> spp.  (88) <i>Radermachera</i> spp.  (89) Ranunculaceae  (90) <i>Rhododendron</i> spp.  (91) <i>Rhus</i> spp.  (92) Rosaceae  (93) <i>Ruscus</i> spp.  (94) <i>Salix</i> spp.  (95) <i>Sandersonia aurantiaca</i>  (96) <i>Schlumbergera</i> spp.  (97) <i>Secale cereale</i>  (98) <i>Serissa foetida</i>  (99) <i>Setaria viridis</i>  (100) <i>Shepherdia canadensis</i>  (101) Solanaceae  (102) <i>Stellaria</i> spp.  (103) <i>Syzygium jambos</i> = <i>Eugenia jambos</i>  (104) <i>Thryptomene</i> spp.  (105) <i>Tibouchina</i> spp.  (106) <i>Trachelium</i> spp.  (107) <i>Tribulus terrestris</i>  (108) <i>Triticum aestivum</i>  (109) <i>Tropaeolum majus</i>  (110) Umbelliferae  (111) <i>Vaccinium</i> spp.  (112) <i>Verbena</i> spp.  (113) <i>Veronica</i> spp.  (114) <i>Viburnum</i> spp.  (115) <i>Viola tricolor</i>  (116) <i>Vitis</i> spp.  (117) <i>Yucca</i> spp.  (118) <i>Zantedeschia</i> spp.  (119) <i>Zea mays</i></p>			
15. (deleted)			

16. (deleted)			
17. Entire or any part of living coconut palm	<b>Asia and Pacific Region</b> (1) South India	Root (Wilt) disease ( <i>Phytophthora staheli</i> McGhee & McGhee)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytophthora staheli</i> McGhee & McGhee and originate from areas free from <i>Phytophthora staheli</i> McGhee & McGhee; otherwise, the plants or plant parts will be destroyed or reshipped.
18. Entire or any part of living coconut palm	<b>Asia and Pacific Region</b> (1) Sri Lanka	Leaf scorch disease	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from leaf scorch disease and originate from areas free from leaf scorch disease; otherwise, the plants or plant parts will be destroyed or returned.
19. Plants or plant parts: A. The importation of roots, stems, leaves and flowers of all living plants and the fresh fruit of strawberry, excluding the plants listed below, shall meet the quarantine requirements as specified: (1) Araceae (2) Aizoaceae (excluding	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Australia (4) Belarus (5) China (6) Georgia (7) India (8) Iran (9) Iraq (10) Israel (11) Japan (12) Jordan (13) Kazakhstan (14) Korea, Democratic	Stem nematode ( <i>Ditylenchus dipsaci</i> (Kuhn) Filipjev)	The importation of the plants or plant parts shall be accompanied by phytosanitary certificates, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus dipsaci</i> (Kuhn) Filipjev, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.

(3) Balsaminaceae	(15) Korea, Republic of		
(4) Bombacaceae	(16) Kyrgyz		
(5) Bryophyta	(17) Lebanon		
(6) Cactaceae	(18) Moldova		
(7) Cornaceae	(19) Mongolia		
(excluding <i>Aucuba</i> spp.)	(20) New Zealand		
(8) Crassulaceae	(21) Oman		
(9) Edible fungus	(22) Pakistan		
(Basidiomycota and Ascomycota)	(23) Russian Federation		
(10) Elaeocarpaceae	(24) Syria		
(11) Ericaceae	(25) Tajikistan		
(12) Euphorbiaceae	(26) Turkey		
(excluding <i>Manihot</i> spp.)	(27) Turkmenistan		
(13) Fagaceae	(28) Thailand		
(14) Gymnospermae	(29) Ukraine		
(15) Lauraceae	(30) Uzbekistan		
(16) Moraceae	(31) Yemen		
(17) Nymphaeaceae	<b>Africa</b>		
(18) Oleaceae	(32) Algeria		
(excluding <i>Syringa</i> spp.)	(33) Egypt		
(19) Orchidaceae	(34) Kenya		
(20) Palmaceae	(35) Lesotho		
(21) Pandanaceae	(36) Libya		
(22) Plantaginaceae	(37) Morocco		
(excluding <i>Plantago</i> spp.)	(38) Reunion		
(23) Potamogetonaceae (excluding <i>Potamogeton</i> spp.)	(39) South Africa		
(24) Pteridophyte	(40) Swaziland		
(excluding <i>Equisetum</i> spp.)	(41) Tunisia		
(25) <i>Pyrus</i> spp.	<b>Europe</b>		
(26) Rubiaceae	(42) All countries and districts in Europe		
(excluding <i>Galium</i> spp.)	<b>North America</b>		
(27) Saxifragaceae	(43) Canada		
(excluding <i>Hydrangea</i> spp.)	(44) Mexico		
(28) Scrophulariaceae (excluding <i>Veronica</i> spp.)	(45) United States		
(29) Sterculiaceae	<b>Central and South America</b>		
(30) Urticaceae	(46) All countries and districts in Central and South America		
(excluding <i>Urtica</i>			

<p>(31) <i>Violaceae</i> (excluding <i>Viola</i> spp.)</p> <p>(32) <i>Vitaceae</i>(excluding <i>Vitis vinifera</i>)</p> <p>B. The importation of seeds of the following plants shall meet the quarantine requirements as specified:</p> <p>(1) <i>Allium</i> spp. (2) <i>Beta vulgaris</i> (3) <i>Cucumis melo</i> (4) <i>Daucus carota</i> (5) <i>Dipsacus fullonum</i> (6) <i>Medicago sativa</i> (7) <i>Phaseolus coccineus</i> (8) <i>Phaseolus vulgaris</i> (9) <i>Phlox drummondii</i> (10) <i>Pisum sativum</i>(except used as foods and feeds) (11) <i>Secale cereale</i> (12) <i>Spinacea oleracea</i> = <i>Spinacia oleracea</i> (13) <i>Trifolium hybridum</i> (14) <i>Trifolium pratense</i> (15) <i>Trifolium repens</i> (16) <i>Vicia faba</i>(except used as foods and feeds)</p>			
<p>20. Underground portion and adventitious roots of the following living plants shall meet the quarantine</p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Armenia (2) Azerbaijan (3) Bangladesh (4) Belarus</p>	<p>Potato rot nematode (<i>Ditylenchus destructor</i> Thorne)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the</p>

requirements as specified:	(5) China		exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus destructor</i> Thorne, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
(1) <i>Allium</i> spp.	(6) Georgia		
(2) <i>Amaranthus caudatus</i>	(7) Iran		
(3) <i>Angelica sinensis</i>	(8) Iraq		
(4) <i>Anthemis arvensis</i>	(9) Israel		
(5) <i>Apium graveolens</i>	(10) Japan		
(6) <i>Arachis</i> spp. (including pods and seeds)	(11) Korea, Democratic People's Republic		
(7) <i>Artemisia vulgaris</i>	(12) Korea, Republic of		
(8) <i>Barbarea vulgaris</i>	(13) Kazakhstan		
(9) <i>Begonia</i> spp.	(14) Kyrgyz		
(10) <i>Bellis perennis</i>	(15) Lebanon		
(11) <i>Bertoroa incana</i>	(16) Malaysia		
(12) <i>Beta vulgaris</i>	(17) Moldova		
(13) <i>Brassica oleracea</i>	(18) New Zealand		
(14) <i>Brassica rapa</i> subsp. <i>chinensis</i> = <i>Brassica chinensis</i>	(19) Pakistan		
(15) <i>Camassia</i> spp.	(20) Saudi Arabia		
(16) <i>Camellia sinensis</i>	(21) Russian Federation		
(17) <i>Canna</i> spp.	(22) Syria		
(18) <i>Capsella bursa-pastoris</i>	(23) Tajikistan		
(19) <i>Capsicum annuum</i>	(24) Thailand		
(20) <i>Chenopodium album</i>	(25) Turkey		
(21) <i>Chionodoxa</i> spp.	(26) Turkmenistan		
(22) <i>Chloris virgata</i>	(27) Ukraine		
(23) <i>Chrysanthemum leucanthemum</i>	(28) Uzbekistan		
(24) <i>Chrysanthemum morifolium</i>	<b>Africa</b>		
(25) <i>Cicer arietinum</i>	(29) Algeria		
(26) <i>Cimicifuga racemosa</i>	(30) Egypt		
(27) <i>Cirsium arvense</i>	(31) Lesotho		
(28) <i>Citrullus</i>	(32) Libya		
	(33) Morocco		
	(34) South Africa		
	(35) Swaziland		
	(36) Tunisia		
	<b>Europe</b>		
	(37) All countries and districts in Europe		
	<b>North America</b>		
	(38) Canada		
	(39) Mexico		
	(40) United States		
	<b>Central and South America</b>		
	(41) Ecuador		
	(42) Peru		



<p>(29) <i>Citrus sinensis</i>  (30) <i>Colchicum</i> spp.  (31) <i>Crocus vernus</i>  (32) <i>Cucumis sativus</i>  (33) <i>Cucurbita</i>  <i>moschata</i>  (34) <i>Cucurbita pepo</i>  (35) <i>Cyperus</i>  <i>rotundus</i>  (36) <i>Dahlia</i> spp.  (37) <i>Datura</i>  <i>stramonium</i>  (38) <i>Daucus carota</i>  (39) <i>Dianthus</i> spp.  (40) <i>Eleusine indica</i>  (41) <i>Elymus repens</i>  = <i>Agropyron</i>  <i>repens</i>  (42) <i>Erythronium</i>  <i>denscanis</i>  (43) <i>Festuca</i>  <i>pratensis</i>  (44) <i>Fragaria</i> spp.  (45) <i>Fumaria</i>  <i>officinalis</i>  (46) <i>Gladiolus</i> spp.  (47) <i>Glycine max</i>  (48) <i>Helianthus</i>  <i>annuus</i>  (49) <i>Hordeum</i>  <i>vulgare</i>  (50) <i>Humulus</i>  <i>lupulus</i>  (51) <i>Hyacinthus</i> spp.  (52) <i>Ipomoea</i>  <i>batatas</i>  (53) <i>Iris</i> spp.  (54) <i>Lathyrus</i>  <i>hirsutus</i>  (55) <i>Lathyrus</i>  <i>latifolius</i>  (56) <i>Liatris spicata</i>  (57) <i>Linaria vulgaris</i>  (58) <i>Lycopersicon</i>  <i>esculentum</i>  (59) <i>Lycopsis</i>  <i>arvensis</i>  (60) <i>Matricaria</i>  <i>inodora</i> = <i>M.</i>  <i>perforata</i></p>			
---	--	--	--

(61) <i>Medicago sativa</i>			
(62) <i>Melilotus officinalis</i>			
(63) <i>Mentha arvensis</i>			
(64) <i>Narcissus</i> spp.			
(65) <i>Nectaroscordum</i> spp.			
(66) <i>Nicotiana tabacum</i>			
(67) <i>Panax ginseng</i>			
(68) <i>Pastinaca sativa</i>			
(69) <i>Phaseolus vulgaris</i>			
(70) <i>Plantago major</i>			
(71) <i>Portulaca</i> spp.			
(72) <i>Potentilla anserina</i>			
(73) <i>Raphanus sativus</i>			
(74) <i>Rheum rhaponticum</i>			
(75) <i>Rumex</i> spp.			
(76) <i>Saccharum officinarum</i>			
(77) <i>Sisyrinchium angustifolium</i>			
(78) <i>Solanum</i> spp.			
(79) <i>Solidago graminifolia</i> = <i>S. anceolata</i> = <i>Euthamia graminifolia</i>			
(80) <i>Sonchus</i> spp.			
(81) <i>Stachys palustris</i>			
(82) <i>Stenotaphrum secundatum</i>			
(83) <i>Syringa vulgaris</i>			
(84) <i>Tagetes minuta</i>			
(85) <i>Taraxacum officinale</i> = <i>Leontodon taraxacum</i>			
(86) <i>Tigridia</i> spp.			
(87) <i>Trifolium</i> spp.			
(88) <i>Tripleurospermum maritimum</i>			

<p>(89) <i>Triticum aestivum</i>  (90) <i>Tropaeolum polyphyllum</i>  (91) <i>Tulipa</i> spp.  (92) <i>Tussilago farfara</i>  (93) <i>Vicia sativa</i>  (94) <i>Vigna unguiculata</i> =  <i>V. sinensis</i>  (95) <i>Xanthium strumarium</i>  (96) <i>Zea mays</i></p>			
<p>21. Stem, leaves, buds, tubers, and fruits of the following living plants :  (1) <i>Lycopersicon esculentum</i>  (2) <i>Solanum</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Armenia  (2) Azerbaijan  (3) Belarus  (4) China  (5) Georgia  (6) India  (7) Indonesia  (8) Israel  (9) Japan  (10) Kazakhstan  (11) Korea, Republic of  (12) Kyrgyz  (13) Moldova  (14) Nepal  (15) Pakistan  (16) Russian Federation  (17) Tajikistan  (18) Thailand  (19) Turkmenistan  (20) Ukraine  (21) Uzbekistan  <b>Africa</b>  (22) Egypt  (23) Morocco  (24) Rwanda  <b>Europe</b>  (25) Austria  (26) Belgium  (27) Czech Republic  (28) Denmark  (29) Finland  (30) France  (31) Germany  (32) Estonia  (33) Hungary</p>	<p>Potato late blight A<sup>2</sup> mating type (<i>Phytophthora infestans</i> A<sup>2</sup> Mating Type)</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytophthora infestans</i> A<sup>2</sup> Mating Type and originate from areas free from <i>Phytophthora infestans</i> A<sup>2</sup> Mating Type; otherwise, the plants or plant parts will be destroyed or reshipped.</p>

	(34) Ireland (35) Italy (36) Latvia (37) Lithuania (38) Netherlands (39) Norway (40) Poland (41) Sweden (42) Switzerland (43) United Kingdom <b>North America</b> (44) Canada (45) Mexico (46) United States <b>Central and South America</b> (47) Argentina (48) Bolivia (49) Brazil (50) Colombia (51) Ecuador (52) Paraguay (53) Uruguay		
22. Fresh fruits of the following plants: (1) <i>Amelanchier</i> spp. (2) <i>Aronia</i> spp. (3) <i>Chaenomeles</i> spp. (4) <i>Cotoneaster</i> spp. (5) <i>Crataegus</i> spp. (6) <i>Crataegomespilus</i> spp. (7) <i>Cydonia</i> spp. (8) <i>Dichotomanthes</i> spp. (9) <i>Docynia</i> spp. (10) <i>Eriobotrya japonica</i> (11) <i>Malus</i> spp. (12) <i>Mespilus</i> spp. (13) <i>Osteomeles</i> spp. (14) <i>Peraphyllum</i> spp. (15) <i>Photinia</i> spp. ( <i>Heteromeles</i> spp. ) (16) <i>Prunus</i> spp. (17) <i>Pyracantha</i> spp. (18) <i>Pyrus</i> spp. (19) <i>Raphiolepis</i> spp.	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Belarus (4) China (5) Georgia (6) India (7) Israel (8) Jordan (9) Kazakhstan (10) Kyrgyz (11) Lebanon (12) Moldova (13) New Zealand (14) Russian Federation (15) Saudi Arabia (16) Tajikistan (17) Turkey (18) Turkmenistan (19) Ukraine (20) Uzbekistan (21) Vietnam <b>Africa</b> (22) Egypt <b>Europe</b> (23) Albania (24) Austria	Fire blight ( <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> )	The importation of fresh fruits shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruits have been thoroughly inspected and found free from <i>Erwinia amylovora</i> (Burrill) Winslow <i>et al.</i> ; otherwise, the fruits will be destroyed or reshipped.

<p>(20) <i>Rubus</i> spp.  (21) <i>Sorbus</i> spp.  (22) <i>Spiraea</i> spp.  (23) <i>Stranvaesia</i> spp.</p>	<p>(25) Belgium  (26) Bosnia and Herzegovina  (27) Bulgaria  (28) Croatia  (29) Cyprus  (30) Czech  (31) Denmark  (32) Estonia  (33) France  (34) Germany  (35) Greece  (36) Hungary  (37) Ireland  (38) Italy  (39) Latvia  (40) Lithuania  (41) Luxembourg  (42) Macedonia  (43) Netherlands  (44) Norway  (45) Poland  (46) Romania  (47) Serbia and Montenegro  (48) Slovakia  (49) Spain  (50) Sweden  (51) Switzerland  (52) United Kingdom  <b>North America</b>  (53) Canada  (54) Mexico  (55) United States  <b>Central and South America</b>  (56) Bermuda  (57) Brazil  (58) Guatemala  (59) Venezuela</p>		
<p>23. Entire or part of the following living plants:  (1) <i>Benincasa hispida</i>  (2) <i>Citrullus lanatus</i>  (3) <i>Cucumis melo</i>  (4) <i>Cucumis sativus</i>  (5) <i>Cucurbita moschata</i>  (6) <i>Cucurbita pepo</i></p>	<p><b>Asia and Pacific Region</b>  (1) Australia (Queensland)  (2) China  (3) Guam  (4) Japan  (5) Northern Mariana Islands  (6) Thailand  (7) Turkey</p>	<p>Fruit blotch (<i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> (Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>))</p>	<p>1. The importation of the non-propagative plant parts, fruits and seeds for human consumption shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plant parts have been thoroughly inspected</p>

	<p><b>North America</b></p> <p>(8) United States (Alabama, Arkansas, California, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Maryland, Mississippi, Missouri, North Carolina, Oklahoma, Oregon, South Carolina and Texas)</p> <p><b>Central and South America</b></p> <p>(9) Brazil</p>		<p>and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> (Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>); otherwise, the plant parts will be destroyed or reshipped.</p> <p>2. The importation of the plants or seeds for propagation shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or seeds have been thoroughly inspected during growing season and found free from <i>Acidovorax avenae</i> subsp. <i>citrulli</i> (Schaad <i>et al.</i>) Willem <i>et al.</i> ( Formerly <i>Pseudomonas pseudoalcaligenes</i> subsp. <i>citrulli</i> Schaad <i>et al.</i>); or stating that the plants or seeds have undergone an appropriate quarantine treatment prior to shipment.</p>
24. Cassava (excluding seeds)	<p><b>Asia and Pacific Region</b></p> <p>(1) India</p> <p><b>Africa</b></p> <p>(2) All countries and districts in Africa</p>	<i>Cassava mosaic virus</i> ( <i>Begomovirus</i> )	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Cassava mosaic virus</i> ( <i>Begomovirus</i> ); otherwise, the plants or plant parts will be destroyed or returned.
25. (deleted)			
26. Entire or any part of the following living plants	<p><b>Asia and Pacific Region</b></p> <p>(1) Armenia</p>	Bulb mite ( <i>Rhizoglyphus echinopus</i> Fumouze	The importation of plants or plant parts shall be accompanied by

(excluding seeds) :	(2) Azerbaijan	and Robin)	phytosanitary certificates, issued by the plant quarantine authority of exporting countries, stating that the plants or plant parts inspected and found free from <i>Rhizoglyphus echinopus</i> Fumouze and Robin; or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
(1) <i>Allium</i> spp.	(3) Belarus		
(2) <i>Arctium lappa</i>	(4) China		
(3) <i>Brassica oleracea</i> var. <i>capitata</i>	(5) Georgia		
(4) <i>Buxus microphylla</i> var. <i>intermedia</i>	(6) Kazakhstan		
(5) <i>Capsicum</i> spp.	(7) India		
(6) <i>Curcuma longa</i> = <i>C. domestica</i>	(8) Iran		
(7) <i>Dahlia</i> spp.	(9) Israel		
(8) <i>Daucus carota</i> var. <i>sativa</i>	(10) Japan		
(9) <i>Eucharis grandiflora</i>	(11) Korea, Democratic People's Republic		
(10) <i>Freesia</i> spp.	(12) Korea, Republic of		
(11) <i>Gentiana scabra</i> Bunge var. <i>buergeri</i>	(13) Kyrgyz		
(12) <i>Gladiolus</i> spp.	(14) New Zealand		
(13) <i>Gloriosa</i> spp.	(15) Moldova		
(14) <i>Glycine max</i>	(16) Russian Federation		
(15) <i>Hemerocallis hybrida</i>	(17) Tajikistan		
(16) <i>Hippeastrum</i> spp.	(18) Thailand		
(17) <i>Hyacinthus</i> spp.	(19) Turkmenistan		
(18) <i>Ipomoea batatas</i>	(20) Ukraine		
(19) <i>Iris</i> spp.	(21) Uzbekistan		
(20) <i>Lachenalia pendula</i>	(22) Vietnam		
(21) <i>Lilium</i> spp.	<b>Africa</b>		
(22) <i>Narcissus</i> spp.	(23) Algeria		
(23) <i>Panax</i> spp.	(24) Egypt		
(24) <i>Paeonia suffruticosa</i>	(25) Libya		
(25) <i>Pinellia ternate</i>	<b>Europe</b>		
(26) <i>Pleurotus sajor-caju</i> and <i>P. ostreatus</i>	(26) Belgium		
(27) <i>Raphanus sativus</i>	(27) Denmark		
(28) <i>Secale cereale</i>	(28) Estonia		
(29) <i>Sinningia</i> spp.	(29) France		
(30) <i>Solanum</i> spp.	(30) Germany		
(31) <i>Tulipa</i> spp.	(31) Netherlands		
(32) <i>Verbena officinalis</i>	(32) Hungary		
	(33) Italy		
	(34) Latvia		
	(35) Lithuania		
	(36) Poland		
	(37) Romania		
	(38) Spain		
	(39) Switzerland		
	(40) United Kingdom		
	<b>North America</b>		
	(41) Canada		
	(42) United States(California and Texas)		
	<b>Central and South America</b>		
	(43) Argentina		
	(44) Chile		

(33) <i>Vicia faba</i>			
27. Entire or any part of the living plants of Umbelliferae (excluding seeds)	<b>Asia and Pacific Region</b> (1) Belarus (2) Georgia (3) Japan (4) Mongolia (5) New Zealand (6) Russian Federation (7) Turkey <b>Europe</b> (8) Austria (9) Belgium (10) Czech (11) Denmark (12) Finland (13) France (14) Germany (15) Hungary (16) Ireland (17) Italy (18) Latvia (19) Netherlands (20) Norway (21) Poland (22) Slovakia (23) Spain (24) Sweden (25) Swiss (26) Ukraine (27) United Kingdom <b>North America</b> (28) Canada (29) United States	Carrot rust fly ( <i>Psila rosae</i> Fabricius)	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Psila rosae</i> Fabricius, or stating that the plants or plant parts has undergone an appropriate quarantine treatment prior to shipment.
28. Entire or any part of the following living plants (excluding seeds) : (1) <i>Cichorium</i> spp. (2) <i>Crepis</i> spp. (3) <i>Hieracium</i> spp. (4) <i>Lactuca</i> spp. (5) <i>Lampsana</i> spp. (6) <i>Nicotiana</i> spp. (7) <i>Petunia</i> spp. (8) <i>Ribes</i> spp. (9) <i>Scrophularia</i> spp. (10) <i>Veronica</i> spp.	<b>Asia and Pacific Region</b> (1) Armenia (2) Azerbaijan (3) Georgia (4) Kazakhstan (5) Lebanon (6) New Zealand (7) Turkey <b>Europe</b> (8) All countries and districts in Europe <b>North America</b> (9) Canada (10) United states <b>South America</b> (11) Argentina	<i>Nasonovia ribisnigri</i> Mosley	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts has been thoroughly inspected and found free from <i>Nasonovia ribisnigri</i> Mosley, or stating that the plant part has undergone an appropriate quarantine treatment prior to shipment.



	(12)Brazil (13)Chile (14)Peru		
29. Entire or any part of the following living plants (excluding fruits and seeds) : (1) <i>Malus domestica</i> var. <i>idared</i> (2) <i>Pyrus</i> spp.	<b>Asia and Pacific Region</b> (1) Korea, Republic of	<i>Erwinia pyrifoliae</i>	The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Erwinia pyrifoliae</i> ; otherwise, the plants or plant parts will be destroyed or returned.
30. Entire or any part of the following living plants (excluding seeds and underground portion) : (1) <i>Acacia</i> spp. (2) <i>Asclepias fascicularis</i> (3) <i>Bambusa</i> spp. (4) <i>Bixa orellana</i> (5) <i>Cinnamomum camphora</i> (6) <i>Ceratonia siliqua</i> (7) <i>Chenopodium album</i> (8) <i>Diospyrus</i> spp. (9) <i>Eucalyptus</i> spp. (10) <i>Malva</i> spp. (11) <i>Persea americana</i> (12) <i>Rosa</i> spp. (13) <i>Rhus</i> spp. (14) <i>Salix</i> spp. (15) <i>Sonchus</i> spp. (16) <i>Vitis</i> spp.	<b>Asia and Pacific Region</b> (1) Israel <b>Europe</b> (2) Spain ( Andaluca ) <b>North America</b> (3) Mexico (4) United States ( California ) <b>Central and South America</b> (5) Costa Rica	<i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Oligonychus perseae</i> Tuttle, Baker & Abbatiello, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.
31. Entire or any part of the following living plants (excluding seeds and underground portion) : (1) <i>Actinidia</i>	<b>Central and South America</b> (1) Argentina ( Mendoza ) (2) Chile	<i>Brevipalpus chilensis</i> Baker	The importation of plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating

<p>(2) <i>Actinidia deliciosa</i>  (3) <i>Ampelopsis</i> spp.  (4) <i>Annona cherimola</i>  (5) <i>Antirrhinum</i> spp.  (6) <i>Apium graveolens</i>  (7) <i>Catalpa speciosa</i>  (8) <i>Cestrum parqui</i>  (9) <i>Chrysanthemum</i> spp.  (10) <i>Citrus</i> spp.  (11) <i>Convolvulus arvensis</i>  (12) <i>Cydonia oblonga</i>  (13) <i>Diospyros kaki</i>  (14) <i>Ficus carica</i>  (15) <i>Ficus benghalensis</i>  (16) <i>Geranium</i> spp.  (17) <i>Ligustrum sinensis</i>  (18) <i>Malus pumila</i> = <i>M. domestica</i>  (19) <i>Chenopodium ambrosioides</i>  (20) <i>Pelargonium</i> spp.  (21) <i>Prunus dulcis</i> = <i>P. amygdalus</i>  (22) <i>Ribes georgianus</i>  (23) <i>Vinca</i> spp.  (24) <i>Vitis vinifera</i></p>			<p>that the plants or plant parts have been thoroughly inspected and found free from <i>Brevipalpus chilensis</i> Baker, or stating that the plants or plant parts have undergone an appropriate quarantine treatment prior to shipment.</p>
<p>32. Entire or any part of the following living plants (excluding flowers, fruits and seeds)  (1) <i>Acer</i> spp.  (2) <i>Alnus incana</i>  (3) <i>Betula</i> spp.  (4) <i>Castanea crenata</i>  (5) <i>Castanea pumila</i>  (6) <i>Celastrus</i> spp.  (7) <i>Celtis</i> spp.  (8) <i>Fagus</i> spp.  (9) <i>Juglans regia</i>  (10) <i>Magnolia</i> spp.  (11) <i>Malus</i> spp.  (12) <i>Morus</i> spp.</p>	<p><b>Asia and Pacific Region</b>  (1) Australia  (2) China  (3) Japan  <b>Europe</b>  (4) Austria  (5) Germany  (6) Italy  (7) Norway  (8) Poland  (9) Sweden  (10) Switzerland  (11) United Kingdom  <b>North America</b>  (12) Canada  (13) United States</p>	<p><i>Valsa ambiens</i> Pers. ex Fr.</p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from the <i>Valsa ambiens</i> Pers. ex Fr.; otherwise, the plants or plant parts will be destroyed or returned.</p>

<p>(13) <i>Prunus</i> spp.  (14) <i>Populus tremula</i>  (15) <i>Pyrus</i> spp.  (16) <i>Quercus</i> spp.  (17) <i>Salix</i> spp.  (18) <i>Sambucus</i> spp.  (19) <i>Sambucus canadensis</i>  (20) <i>Tilia</i> spp.  (21) <i>Ulmus</i> spp.</p>			
<p>33. Seeds of the following plants :  (1) <i>Cosmos bipinnatus</i></p>	<p><b>Asia and Pacific Region</b>  (1) Japan  <b>Europe</b>  (2) All countries and districts in Europe</p>	<p>White smut disease of Cosmos  (<i>Entyloma cosmi</i> Vanky Horita &amp; Jape)</p>	<p>The importation of seeds shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds are found free from <i>Entyloma cosmi</i> Vanky Horita &amp; Jape; otherwise, the seeds will be destroyed or returned.</p>
<p>34. Bark and wood with bark of following plants:  (1) <i>Acer</i> spp.  (2) <i>Aesculus californica</i>  (3) <i>Aesculus hippocastanum</i>  (4) <i>Fagus sylvatica</i>  (5) <i>Lithocarpus densiflorus</i>  (6) <i>Quercus</i> spp.</p>	<p><b>Europe</b>  (1) Belgium  (2) Channel Island(British)  (3) Denmark  (4) France  (5) Germany  (6) Ireland  (7) Italy  (8) Netherlands  (9) Norway  (10) Poland  (11) Republic of Slovenia  (12) Spain  (13) Sweden  (14) Switzerland  (15) United Kingdom  <b>North America</b>  (16) Canada(British Columbia (Roberts Creek, West Vancouver, North Vancouver, Coquitlam, Pitt Meadows, Surrey and Maple Ridge))  (17) United States (California,</p>	<p><i>Phytophthora ramorum</i></p>	<p>The importation of the plants or plant parts shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been heated in accordance with a specific time-temperature schedule that achieves a minimum wood core temperature of 56 °C for at least 30 minutes.</p>

--	--	--	--

2. Quarantine requirements for the importation of “Prohibited Plants or Plant Products” verified and approved by the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, the Executive Yuan.

Plants or Plant Products	Countries or Districts of Origin	Injurious pests and Disease	Quarantine Requirements
<p>1. Fresh fruits (including fresh fruits of fruit trees and vegetables and green ripeness bananas, excluding the fresh fruits of the following plants):</p> <p>(1) <i>Abelmoschus esculentus</i> = <i>Hibiscus esculentus</i></p> <p>(2) <i>Ananas comosus</i></p> <p>(3) <i>Cocos nucifera</i></p> <p>(4) <i>Hypericum</i> spp.</p> <p>(5) <i>Lycyesteria</i> spp.</p> <p>(6) <i>Leucadendron</i> spp.</p> <p>(7) <i>Musa</i> spp. (Green Ripeness Bananas)</p> <p>(8) <i>Symphoricarpus</i> spp.</p> <p>(9) <i>Viburnum</i> spp.</p>	<p><b>Africa</b></p> <p>(1) South Africa</p> <p>(2) Swaziland</p> <p><b>Europe</b></p> <p>(3) France</p> <p>(4) Italy</p> <p>(5) Netherlands</p> <p>(6) Spain</p> <p><b>Central and South America</b></p> <p>(7) Argentina</p> <p>(8) Chile</p> <p>(9) Peru</p>	<p>Mediterranean fruit fly (<i>Ceratitis capitata</i> Wiedemann)</p>	<p>1. The importation of the fresh fruit from countries or districts where the Mediterranean fruit fly is known to Occur shall comply with the following requirements:</p> <p>(1) The importation of fresh fruits from Netherlands shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from The Netherlands.”</p> <p>(2) The importation of fresh fruits from the Region III to Region X , Region XIV and Metropolitan Region of Chile shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Chile.”</p> <p>(3) The importation of fresh grapes fruits from Peru shall comply with the "Quarantine Requirements for The Importation of Fresh Fruits from Peru."</p> <p>(4) The importation of fresh citrus fruits from Spain shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.” The fruit should be treated by one of the following cold treatment: core temperature at 34°F for 14 days, core temperature at 35°F for 16 days, or core temperature at 36°F for 18 days.</p> <p>(5) The importation of the fresh fruit from other countries or districts shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Countries or Districts Where The Mediterranean Fruit Fly Is Known to Occur.”</p> <p>2. The importation of fresh fruits shall</p>

			be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the fruit has been thoroughly inspected and found free from Mediterranean fruit fly.
<p>2. Corn ears without husks and seeds of the following plants:</p> <p>(1) <i>Saccharum</i> spp.  (2) <i>Zea mays</i> (excluding ears without husks)  (3) <i>Areca catechu</i>  (4) <i>Dictyosperma album</i>  (5) <i>Roystonea regia</i>  (6) <i>Thysanolaena maxima</i>  (7) <i>Tripsacum fasciculatum</i>  (8) Bamboo (<i>Bambusa vulgaris</i>)  (9) Coconut (<i>Cocos nucifera</i>)  (10) Job's tears (<i>Coix lachryma-jobi</i>)  (11) Guinea grass (<i>Panicum maximum</i>)  (12) Millet (<i>Panicum miliaceum</i>)  (13) Elephant grass (<i>Pennisetum purpureum</i>)  (14) Sorghum (<i>Sorghum bicolor</i>)  (15) Johnson grass (<i>Sorghum halepense</i>)  (16) Sudan grass (<i>Sorghum sudanense</i>)  (17) <i>Brachiaria mutica</i></p>	<p><b>Asia and Pacific Region</b></p> <p>(1) Fiji  (2) India</p> <p><b>Africa</b></p> <p>(3) Ghana  (4) Lesotho  (5) Madagascar  (6) Madeira  (7) Malawi  (8) Mauritius  (9) Mozambique  (10) Reunion  (11) South Africa  (12) Swaziland  (13) Zimbabwe</p> <p><b>Central and South America</b></p> <p>(14) Antigua Island  (15) Antigua and Barbuda  (16) Argentina  (17) Barbados  (18) Belize  (19) Brazil  (20) Colombia  (21) Cuba  (22) Dominican Republic  (23) Guadeloupe  (24) Martinique  (25) Puerto Rico  (26) Saint Kitts and Nevis  (27) Saint Lucia  (28) Saint Vincent and the Grenadines</p>	<p>Gumming disease (<i>Xanthomonas axonopodis</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i> and <i>Xanthomonas vasicola</i> pv. <i>vasculorum</i> (Cobb) Vauterin <i>et al.</i>) (Formerly <i>Xanthomonas campestris</i> pv. <i>vasculorum</i> (Cobb) Dye)</p>	<p>The importation of corns ears without husks and seeds shall be accompanied by the phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the seeds or ears without husks of the corn have been thoroughly inspected and found free from the Gumming disease; otherwise the shipment has to be undergone an appropriate quarantine treatment prior to importation.</p>

(18) <i>Sorghum verticilliformum</i> (excluding leaves)			
3. ( deleted )			
4. Table potato ( <i>Solanum tuberosum</i> )	<b>Asia and Pacific Region</b> (1)New Zealand	Golden nematode ( <i>Globodera rostochiensis</i> Wr.)	The importation of table potato from New Zealand shall comply with the “Quarantine Requirements for The Importation of Table Potato from New Zealand.”
5. Round wood, fuel wood, wood root, bark, unprocessed wood and processed wood materials of the following plants: (1) <i>Acer</i> spp. (2) <i>Aesculus</i> spp. (3) <i>Alnus</i> spp. (4) <i>Betula</i> spp. (5) <i>Citrus</i> spp. (6) <i>Elaeagnus angustifolia</i> (7) <i>Fraxinus</i> spp. (8) <i>Hibiscus</i> spp. (9) <i>Liriodendron tulipifera</i> (10) <i>Malus</i> spp. (11) <i>Melia</i> spp. (12) <i>Morus</i> spp. (13) <i>Paulownia fortunei</i> (14) <i>Platanus</i> spp. (15) <i>Populus</i> spp. (16) <i>Prunus</i> spp. (17) <i>Pyrus</i> spp. (18) <i>Robinia</i> spp. (19) <i>Rosa</i> spp. (20) <i>Salix</i> spp. (21) <i>Sophora</i> spp. (22) <i>Ulmus</i> spp.	<b>Asia</b> (1) China (2) Korea, Democratic People’s Republic of (3) Korea, Republic of <b>Europe</b> (4) Austria (Braunau) <b>North America</b> (5) United States(New York (City of New York, Nassau and Suffolk) and New Jersey (Middlesex and Union)) (6)Canada (Ontario (Toronto and Vaughan))	Asian longhorned beetle ( <i>Anoplophora glabripennis</i> )	The importation of mentioned plant products shall comply with the “Quarantine Requirements for the Importation of Wood.”
6. Fresh fruits of the following plants: (1) <i>Malus</i> spp. (2) <i>Prunus americana</i> (3) <i>Prunus domestica</i> (4) <i>Prunus persica</i>	<b>Asia and Pacific Region</b> (1)Japan	Peach fruit moth ( <i>Carposina sasakii</i> = <i>Carposina niponensis</i> )	The importation of the fruit from Japan shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from Japan for the host plants of Peach Fruit Moth ( <i>Carposina sasakii</i> ) .”

(5) <i>Prunus salicina</i> (6) <i>Pyrus spp.</i>			
7. Fresh fruits of the following plants : (1) <i>Malus</i> spp. (2) <i>Prunus persica</i> (3) <i>Pyrus</i> spp.	<b>Asia and Pacific Region</b> (1) Korea, Republic of	Peach fruit moth ( <i>Carposina sasakii</i> = <i>Carposina niponensis</i> )	The importation of the fruit from South Korea shall comply with the “Quarantine Requirements for the Importation of Fresh Fruits from South Korea for the host plants of Peach Fruit Moth ( <i>Carposina sasakii</i> ) .”
8. Fresh fruits of the following plants: (1) <i>Actinidia deliciosa</i> (2) <i>Citrus limonia</i> (3) <i>Citrus paradisi</i> (4) <i>Citrus reticulata</i> (5) <i>Citrus reticulata</i> × <i>C. paradisi</i> (6) <i>Citrus reticulata</i> × <i>C. sinensis</i> (7) <i>Citrus sinensis</i> (8) <i>Persea americana</i> (9) <i>Vaccinium corymbosum</i> L. (10) <i>Vitis vinifera</i>	<b>Asia and Pacific Region</b> (1) Australia (excluding State of Tasmania and Riverland)	(1) Mediterranean fruit fly ( <i>Ceratitis capitata</i> Wiedemann) (2) Queensland fruit fly ( <i>Bactrocera tryoni</i> (Froggatt))	The importation of the fruit from Australia shall comply with the “Quarantine Requirements for Import Inspection of Fresh Fruit from Australia That Hosts Mediterranean or Queensland Fruit flies.”
9. Fresh fruits of the following plants : (1) <i>Areca catechu</i>	<b>Asia and Pacific Region</b> (1) Thailand	(1) Guava fruit fly ( <i>Bactrocera correcta</i> (Bezzi)) (2) Papaya fruit fly ( <i>Bactrocera papayae</i> Drew & Hancock)	The importation of the fruit of <i>Areca catechu</i> from Thailand shall comply with the “Quarantine Requirements for Import Quarantine of Fresh Betel Nuts from Thailand.”
10. (deleted)			
11. Nursery stocks with roots of the following plants: (1) <i>Anthurium</i> spp. (2) <i>Aechmea</i> spp. (3) <i>Bromelia</i> spp. (4) <i>Cryptanthus</i> spp. (5) <i>Guzmania</i> spp. (6) <i>Neoregelia</i> spp. (7) <i>Nidularium</i>	<b>Europe</b> (1) Netherlands	Burrowing nematode ( <i>Radopholus similis</i> (Cobb) Thorne)	The importation of the nursery stocks from the Netherlands shall comply with the “Quarantine Requirements for the Importation of Propagation Materials which are Hosts of <i>Radopholus similis</i> from the Netherlands.”



spp. (8) <i>Tillandsia</i> spp. (9) <i>Vriesea</i> spp.			
12. Fresh fruits of grape ( <i>Vitis vinifera</i> )	<b>Central and South America</b> (1) Peru	(1) Mediterranean fruit fly, <i>Ceratitis capitata</i> (Wiedemann) (2) <i>Anastrepha fraterculus</i> (Wiedemann) (3) <i>Anastrepha obliqua</i> Macquart = <i>Anastrepha mombinpraeoptans</i> Sein	The importation of fresh grapes fruits of Peru shall comply with the “Quarantine Requirements for The Importation of Fresh Fruits from Peru.”

3. Hong Kong, Singapore, and Macau are free ports and therefore regarded as areas of all pests listed in enterable plants or plant products under precautionary requirements.

4. If the plants or plant products listed in the above table are not originated from, but are unloaded and transshipped through the countries or districts listed in the table, they will be treated as the plants or plant products which shall comply with the precautionary requirements.

5. To apply for importation of plant or plant product for the first time from a country or district where is in the immediate vicinity of a quarantine pest area, and has similar climate and crops to those of the area, but has insufficient reports or no report at all about the pest status, the importer or the agent shall submit information as follow to obtain approval for the importation from the Bureau of Animal and Plant Health Inspection and Quarantine of the Council of Agriculture, Executive Yuan. (BAPHIQ)

5.1 The official survey data and the general surveillance record of the pest. The duration of survey shall be in compliance with the time period required in the “Procedures for Recognition of Pest Free Areas.”

5.2 The information of cultivation management of the plant/plant product, including producing areas, yield, harvest season and the post-harvest process.

5.3 The pest list of the plant/plant product, including the information of pest control and the list of chemical used.

5.4 The export inspection procedure and the procedure of issuing the Phytosanitary Certificate.

After the document review is cleared, if necessary, BAPHIQ will dispatch quarantine officers to assess and verify pest status in the country or district. When the country or district is approved as pest free area and the pest risk assessment of the plant/plant product is also approved, BAPHIQ will then permit the importation of plant/plant product from the country or district, in accordance with import quarantine requirements.

6. Importation of lilies, gladiolus, and dahlia bulbs shall comply with the “Quarantine Requirements for The Importation of Lilies, Gladiolus, and Dahlia Bulbs.”

7. Quarantine requirements for importation of timber will be published by the Council of Agriculture in later time.

8. Plants listed below are subjected to post-entry quarantine:

(1) Importation of the following living plants or propagates (excluding seeds and fruits) shall be subject to post- entry quarantine at nurseries designated by the BAPHIQ.

A. Plants subject to a quarantine period of at least two years:

- a. *Saccharum sinense*, *Saccharum officinarum*
- b. *Camellia sinensis*
- c. *Ananas* spp.
- d. *Citrus* spp., *Fortunella* spp., and *Poncirus* spp.
- e. *Musa* spp.

B. Plants subject to a quarantine period of at least one year:

- a. *Carica* spp.
- b. *Euphoria longana*
- c. *Fragaria* spp.
- d. *Litchi chinensis*
- e. *Malus* spp.
- f. *Mangifera indica*
- g. *Morus* spp.
- h. *Passiflora* spp.
- i. *Prunus* spp.
- j. *Psidium guajava*
- k. *Pyrus* spp. (Importation of pear scion shall comply with the “Quarantine Inspection Procedures for The Importation of Pear Scions.”)
- l. *Rosa* spp. (excluding cut flowers)
- m. *Vitis* spp.

(2) BAPHIQ will impose post-entry quarantine on imported plants or plant products suspected of having been infected or infested with pests.

9. Importers of fresh plants or plant products, peat mosses and peat are required to present phytosanitary certificates issued by the plant quarantine authority of the exporting country.

Importation of the plants or plant products, which are listed in “Part A. Prohibited plants or plant Products” of the “Quarantine Requirements for the Importation of Plants or Plants Products into the Republic of China”, regulated by other importation authorities or designated plants or plant products by the BAPHIQ, did not accompany with phytosanitary certificates, shall resubmit the phytosanitary certificates; otherwise, the plants or plant products will be destroyed or reshipped.

10. Importation of plants or plant products shall be subjected to appropriate quarantine treatment for mitigating following pests if they are intercepted. If there is no appropriate quarantine treatment for the pest, the importing plants or plant products shall be destroyed or re-shipped. BAPHIQ may implement quarantine treatment to the higher taxa of the listed pests if necessary.

Insect (306)

<i>Acalolepta cervina</i>	<i>Amorbia emigratella</i>
<i>Acanthoscelides obtectus</i>	<i>Anastrepha grandis</i>
<i>Acanthoscelides pallidipennis</i>	<i>Anastrepha striata</i>
<i>Acleris gloverana</i>	<i>Anastrepha suspensa</i>
<i>Acleris variana</i>	<i>Anchastus swezeyi</i>
<i>Acrogonia terminalis</i>	<i>Anomala sulcatula</i>
<i>Acrolepiopsis assectella</i>	<i>Anthonomus bisignifer</i>
<i>Acropolitis rudisana</i>	<i>Anthonomus eugenii</i>
<i>Adelges tsugae</i>	<i>Anthonomus grandis</i>
<i>Adoxophyes orana</i>	<i>Aonidiella lauretorum</i>
<i>Aeolesthes sarta</i>	<i>Aonidiella tinerfinensis</i>
<i>Afirmaspis socotrana</i>	<i>Apis mellifera capensis</i>
<i>Agrilus mali</i>	<i>Apis mellifera scutellata</i>

Archips micaceanus  
 Argyrotaenia ljugiana  
 Artitropa comus  
 Aspidiotus spinosus  
 Asterolecanium spp.  
 Bactrocera albistrigata  
 Bactrocera aquilonis  
 Bactrocera cucumis  
 Bactrocera decipiens  
 Bactrocera diversa  
 Bactrocera fascialis  
 Bactrocera frauenfeldi  
 Bactrocera jarvisi  
 Bactrocera kirki  
 Bactrocera latifons  
 Bactrocera melanota  
 Bactrocera musae  
 Bactrocera neohumeralis  
 Bactrocera occipitalis  
 Bactrocera oleae  
 Bactrocera passiflorae  
 Bactrocera psidii  
 Bactrocera trivialis  
 Bactrocera tuberculata  
 Bactrocera umbrosa  
 Bactrocera xanthodes  
 Bemisia cordylinidis  
 Blitopertha orientalis  
 Brachycerus spp.  
 Brachydactyla discoidea  
 Bruchophagus roddi  
 Bruchus pisorum  
 Bruchus rufimanus  
 Bulbifer homeorhynchus  
 Cacoecimorpha pronubana  
 Cacyreus marshalli  
 Callipogon relictus  
 Callosobruchus analis  
 Callosobruchus phaseoli  
 Camponotus floridanus  
 Camponotus pennsylvanicus  
 Capua tortrix  
 Cataenococcus hispidus  
 Catamacta lotinana  
 Ceratitis rosa  
 Ceratitis spp.  
 Chaetanaphothrips signipennis  
 Choristoneura conflictana  
 Choristoneura fumiferana  
 Choristoneura occidentalis  
 Choristoneura rosaceana  
 Chrysomphalus diversicolor  
 Chrysomphalus pinnulifera  
 Cilaeopeplus swezeyi  
 Coccus spp.  
 Conoderus eveillardi  
 Conoderus rufangulus  
 Conopia hector  
 Conotrachelus aguacatae  
 Contarinia nasturtii  
 Contarinia sorghicola  
 Coptotermes curvignathus  
 Copturus aguacatae  
 Cryptophlebia leucotreta  
 Cryptorhynchus lapathi  
 Curculio elephas  
 Curculio nucum  
 Cydia latiferreana  
 Cydia splendana  
 Dacus bivittatus  
 Dacus vertebratus  
 Dasineura mali  
 Dendroctonus adjunctus  
 Dendroctonus ponderosae  
 Dendroctonus rufipennis  
 Dendrolimus sibiricus  
 Delia antique  
 Delia platura  
 Diabrotica barberi  
 Diabrotica speciosa  
 Diabrotica undecimpunctata  
 Diabrotica virgifera virgifera  
 Diaprepes abbreviatus  
 Diaspidiotus gigas  
 Diaspidiotus ostreaeformis  
 Diaspidiotus pyri  
 Diatraea saccharalis  
 Dilobopterus costalimai  
 Draeculacephala minerva  
 Dreyfusia piceae  
 Dryocoetes confusus  
 Dryocosmus kuriphilus  
 Dysmicoccus nesophilus  
 Dyspessa ulula  
 Earias vittella  
 Echinothrips americanus  
 Elytroteinus subtruncatus  
 Epiphyas postvittana  
 Epitrix cucumeris  
 Epitrix tuberis  
 Eriosoma lanigerum  
 Eublemma rufimixta  
 Eucalymnatus tessellatus  
 Euproctis chrysorrhoea  
 Eurytoma laricis  
 Exosoma lusitanica

Frankliniella spp.  
 Furcaspis oceanica  
 Gnathotrichus sulcatus  
 Gonipterus gibberus  
 Graphocephala atropunctata  
 Grapholita funebrana  
 Grapholita inopinata  
 Grapholita molesta  
 Grapholita packardi  
 Grapholita prunivora  
 Heilipus lauri  
 Helicoverpa zea  
 Hemiberlesia cyanophylli  
 Hemiberlesia palmae  
 Hemimene juliana  
 Hesperophanes campestris  
 Heterobostrychus aequalis  
 Heteronychus arator  
 Holotrichia mindanaona  
 Homalodisca coagulata  
 Howardia biclavis  
 Hylastes ater  
 Hylurgopinus rufipes  
 Hyphantria cunea  
 Hypothenemus hampei  
 Insulaspis orsoni  
 Ips calligraphus  
 Ips confusus  
 Ips grandicollis  
 Ips lecontei  
 Ips pini  
 Ips plastographus  
 Ips typographus  
 Ischnaspis longirostris  
 Kandyosilis cochleata  
 Kytorhinus immixtus  
 Laspeyresia spp.  
 Lepidosaphes salicina  
 Lepidosaphes tokionis  
 Leucoptera malifoliella  
 Limonius californicus  
 Listroderes subcinctus  
 Listronotus bonariensis  
 Lobesia botrana  
 Lopholeucaspis cockerelli  
 Linepithema humile  
 Lymantria dispar  
 Lymantria monacha  
 Malacosoma americanum  
 Malacosoma disstria  
 Margarodes prieskaensis  
 Margarodes vredendalensis  
 Matsucoccus matsumurae  
 Mayetiola destructor  
 Megalometis chilensis  
 Melanaspis corticosa  
 Melanaspis elaeagni  
 Melanaspis nigropunctata  
 Melanotus communis  
 Metamasius spp.  
 Monochamus spp.  
 Mudaria luteileprosa  
 Mycetaspis personata  
 Mycetaspis sphaerioides  
 Myzus ornatus  
 Nasutitermes corniger  
 Naupactus xanthographus  
 Nemorimyza maculosa  
 Neomaskellia bergii  
 Neoselenaspis silvaticus  
 Nipaecoccus nipae  
 Nysius vinitor  
 Oncometopia fascialis  
 Operophtera brumata  
 Opogona sacchari  
 Opuntiaspis carinata  
 Orgyia antiqua  
 Orgyia pseudotsugata  
 Orthezia insignis  
 Oryctes monoceros  
 Ostrinia nubilalis  
 Otiorhynchus ligustici  
 Oulema melanopus  
 Ovitococcus agavium  
 Pammene fasciana  
 Paranthrene tabaniformis  
 Paraputo hispidus  
 Pectinophora scutigera  
 Perileucoptera coffeella  
 Phalaenoides glycinae  
 Phenacaspis tangana  
 Phenacoccus manihoti  
 Phyllophaga spp.  
 Pinnaspis dracaenae  
 Pinnaspis strachani  
 Pissodes nemorensis  
 Pissodes strobi  
 Pissodes terminalis  
 Pogonomyrmex occidentalis  
 Prays endocarpa  
 Premnotypes latithorax  
 Premnotypes suturicallus  
 Premnotypes vorax  
 Proeulia spp.  
 Promecothea cumingii  
 Prosthephanus truncatus

*Proterhinus vestitus*  
*Pseudischnaspis bowreyi*  
*Pseudococcus floriger*  
*Pseudococcus maritimus*  
*Pseudococcus orchidicola*  
*Pseudococcus* spp.  
*Pterandrus* spp.  
*Ptilodactyla exotica*  
*Pulvinaria urbicola*  
*Rhagoletis cerasi*  
*Rhagoletis cingulata*  
*Rhagoletis fausta*  
*Rhagoletis indifferens*  
*Rhagoletis mendax*  
*Rhizoecus amorphophalli*  
*Rhizoecus floridanus*  
*Rhizoecus simplex*  
*Rhodogastria carneola*  
*Rhynchophorus palmarum*  
*Rondotia menciana*  
*Sahlbergella singularis*  
*Sardia pluto*  
*Scirtothrips aurantii*  
*Scirtothrips citri*  
*Scolytus morawitzii*  
*Scolytus multistriatus*  
*Scolytus scolytus*  
*Scyphophorus acupunctatus*  
*Selenaspidus antsingyi*  
*Selenaspidus littoralis*  
*Sesamia cretica*  
*Sirex noctilio*  
*Sitophilus granarius*  
*Sminthurus viridis*  
*Solenopsis invicta*

*Solenopsis richteri*  
*Solenopsis richteri* × *Solenopsis*  
*Solenopsis xyloni*  
*Sphaeraspis vitis*  
*Spilonota lechriaspis*  
*Spodoptera eridania*  
*Spodoptera frugiperda*  
*Spodoptera littoralis*  
*Stenoma catenifer*  
*Taeniothrips samdensis*  
*Tecia solanivora*  
*Tessarotoma papillosa*  
*Tetropium castaneum*  
*Tetropium fuscum*  
*Tetropium gracilicorne*  
*Thrips fuscipennis*  
*Thrips* spp.  
*Tomicus piniperda*  
*Toxotrypana curvicauda*  
*Trioza erytrae*  
*Trogoderma granarium*  
*Unaspis citri*  
*Viteus vitifoliae*  
*Voraspidis tangana*  
*Wasmannia auropunctata*  
*Xyleborus affinis*  
*Xyleborus ferrugineus*  
*Xyleborus rugatus*  
*Xylopsocus capucinus*  
*Xylotrechus altaicus*  
*Xyphon* (formerly *Carneocephala*) *fulgida*  
*Yponomeuta malinellus*  
*Zabrotes subfasciatus*

Mites ( 31 )

*Acarapis woodi*  
*Aculops fuchsiae*  
*Aculus schlechtendali*  
*Brevipalpus chilensis*  
*Bryobia eharai*  
*Bryobia rubrioculus*  
*Cochlodispus operosus*  
*Eotetranychus carpini*  
*Eotetranychus pruni*  
*Epitrimerus pyri*  
*Eriophyes gossypii*  
*Mononychellus tanajoa*  
*Oligonychus gossypii*  
*Oligonychus grypus*  
*Oligonychus indicus*  
*Oligonychus peruvianus*

*Oligonychus punicae*  
*Oligonychus sacchari*  
*Oligonychus yotrheri*  
*Panonychus ulmi*  
*Petrobia latens*  
*Phytoseius hongkongensis*  
*Schizotetranychus andreopogoni*  
*Schizotetranychus asparagi*  
*Tetranychus canadensis*  
*Tetranychus marianae*  
*Tetranychus mcdanieli*  
*Tetranychus mexicanus*  
*Tetranychus turkestanii*  
*Tropilaelaps clareae*  
*Varroa sinhai*

Bacterium ( 54 )

Acidovorax avenae subsp. avenae  
Agrobacterium larrymoorei  
Agrobacterium tumefaciens  
Agrobacterium vitis  
Burkholderia andropogonis  
Burkholderia caryophylli  
Burkholderia gladioli pv. gladioli  
Clavibacter michiganensis subsp. Indidiosus  
Clavibacter michiganensis subsp. michiganensis  
Clavibacter michiganensis subsp. sepedonicus  
Clavibacter michiganensis subsp. nebraskensis  
Curtobacterium flaccumfaciens subsp.  
flaccumfaciens  
Curtobacterium flaccumfaciens subsp.  
poinsettiae  
Erwinia carotovora subsp. atroseptica  
Erwinia chrysanthemi  
Erwinia herbicola pv. gypsophilae  
Erwinia pyrifoliae  
Erwinia rhapontici  
Erwinia salicis  
Leifsonia xyli subsp. xyli ( original Clavibacter  
xyli subsp. xyli )  
Liberobacter asiaticum  
Pantoea stewartii  
Potato leaflet stunt bacterium  
Pseudomonas corrugata  
Pseudomonas lignicola

Pseudomonas savastanoi pv. phaseolicola  
Pseudomonas syringae pv. eriobotryae  
Pseudomonas syringae pv. maculicola  
Pseudomonas syringae pv. morprunorum  
Pseudomonas syringae pv. papulans  
Pseudomonas syringae pv. pisi  
Pseudomonas syringae pv. syringae  
Pseudomonas syringae pv. tabaci  
Pseudomonas viridiflava  
Ralstonia solanacearum Race3  
Xanthomonas acernea  
Xanthomonas arboricola pv. corylina  
Xanthomonas axonopodis pv. begoniae  
Xanthomonas axonopodis pv. dieffenbachiae  
Xanthomonas axonopodis pv. glycines  
Xanthomonas axonopodis pv. phaseoli  
Xanthomonas axonopodis pv. poinsettiicola  
Xanthomonas axonopodis pv. vignicola  
Xanthomonas axonopodis pv. vitians  
Xanthomonas cucurbitae  
Xanthomonas campestris pv. armoraciae  
Xanthomonas fragariae  
Xanthomonas hortorum pv. carotae  
Xanthomonas hortorum pv. perlargonii  
Xanthomonas hyacinthi  
Xanthomonas oryzae pv. oryzicola  
Xanthomonas translucens pv. translucens  
Xanthomonas theicola  
Xanthomonas populi

Fungus ( 77 )

Alternaria gaisen  
Anisogramma anomala  
Apiosporina morbosa  
Atropellis piniphila  
Botryosphaeria laricina  
Calonectria ilicicola  
Ceratocystis fagacearum  
Ceratocystis fimbriata  
Chrysomyxa abietis  
Chrysomyxa ledi  
Ciborinia camelliae  
Cronartium coleosporioides  
Cronartium flaccidum  
Cronartium quercuum f. sp. fusiforme  
Cronartium himalayense  
Cronartium kamtschaticum  
Cronartium quercuum  
Cryphonectria parasitica  
Diaporthe mali  
Diaporthe phaseolorum

Diaporthe tanakae  
Diaporthe vaccinii  
Didymella ligulicola  
Elsinoe australis  
Endocronartium harknessii  
Entyloma holwayi H. & P. Sydow  
Eutypa lata  
Fusarium subglutinans  
Fusarium oxysporum f. sp.  
Gaeumannomyces graminis  
Gibberella circinata  
Gremmeniella abietina  
Gymnosporangium asiaticum  
Gymnosporangium clavipes  
Gymnosporangium fuscum  
Gymnosporangium globosum  
Gymnosporangium yamadai  
Lachnellula willkommii  
Leptosphaeria maculans  
Leptosphaeria nodorum

Macrophomina phaseolina	Phytophthora ramorum
Melampsora farlowii	Puccinia gladioli
Monilinia fructigena	Puccinia mccleanii
Nectria galligena	Puccinia pittieriana
Nectria mauritiicola	Rigidoporus lignosus
Nectriella pironii	Sclerotium cepivorum
Ophiostoma novo-ulmi	Septoria lycopersici
Ophiostoma ulmi	Stenocarpella maydis
Ophiostoma wagneri	Thecaphora solani
Peronosclerospora maydis	Tilletia barclayana
Peronosclerospora sacchari	Tilletia indica
Phoma andigena	Trachysphaera fructigena
Phoma exigua var. foveata	Uredo dioscoreae-alatae
Phoma tracheiphila	Uredo gladioli-buettneri
Phomopsis viticola	Urocystis agropyri
Phomopsis vitimegaspora	Urocystis tritici
Phomopsis vitimegasora	Verticillium alboatrum
Phymatotrichopsis omnivora	Verticillium dahliae
Phytophthora fragariae	

#### Virus (438)

Abutilon mosaic virus (AbMV) (Geminiviridae, Begomovirus)  
 Ageratum yellow vein virus (AYVV) (Geminiviridae, Begomovirus)  
 African cassava mosaic virus (ACMV) (Geminiviridae, Begomovirus)  
 Agropyron mosaic virus (AgMV) (Potyviridae, Bymovirus)  
 Alfalfa cryptic virus 1 (ACV-1) (Partitiviridae, alphacryptovirus)  
 Alfalfa enation virus  
 Alfalfa mosaic virus (AIMV) (Bromoviridae, alfamovirus)  
 Alsike clover vein mosaic virus  
 Alstroemeria mosaic virus (AIMV) (Potyviridae, potyvirus)  
 Amaranthus leaf mottle virus (AmLMV) (Potyviridae, potyvirus)  
 American plum line pattern virus (APLPV) (Bromoviridae, Ilarvirus)  
 Andean potato latent virus (APLV) (Tymovirus)  
 Andean potato mottle virus (APMoV) (Comoviridae, Comovirus)  
 Anthoxanthum latent blanching virus (ALBV) (Hordeivirus)  
 Anthriscus yellows virus (AYV) (Sequiviridae, waikavirus)  
 Apple chat fruit disease  
 Apple mosaic virus (ApMV) (Bromoviridae, Ilarvirus)  
 Apple scar skin viroid (ASSVd) (Pospiviroidae, Apscavirioid)  
 Arabis mosaic virus (ArMV) (Comoviridae, Nepovirus)  
 Araujia mosaic virus (ArjMV) (Potyviridae, potyvirus)  
 Arracacha Virus A (AVA) (Comoviridae, Nepovirus)  
 Arracacha Virus B (AVB) (Comoviridae, Nepovirus)  
 Arracacha Virus Y (AVY) (Potyviridae, potyvirus)  
 Artichoke Italian latent virus (AILV) (Comoviridae, nepovirus)  
 Artichoke latent virus (ArLV) (Potyviridae, potyvirus)  
 Artichoke mottled crinkle virus (AMCV) (Tombusviridae, Tombusvirus)  
 Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)  
 Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)  
 Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)  
 Asparagus virus 3 (AV-3) (Potexvirus)  
 Banana bunchy top virus (BBTV) (Nanovirus)

Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)  
 Barley mosaic virus (BBV)  
 Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)  
 Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)  
 Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)  
 Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)  
 Bean common mosaic virus (Potyviridae, potyvirus)  
 Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)  
 Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)  
 Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)  
 Bean pod mottle virus (BPMV) (Comoviridae, comovirus)  
 Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)  
 Bean southern mosaic virus (SBMV) (sobemovirus)  
 Bean yellow vein banding virus (BYVBV) (Umbravirus)  
 Beet distortion mosaic virus  
 Beet mild yellowing virus (BMYV) (Luteoviridae, luteovirus)  
 Beet mosaic virus (BtMV) (Potyviridae, potyvirus)  
 Beet soil-borne virus (BSBV) (Pomovirus)  
 Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)  
 Beet yellows virus (BYV) (Closteroviridae, closterovirus)  
 Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)  
 Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)  
 Beet leaf curl virus (BLCV) (Rhabdoviridae)  
 Beet necrotic yellow vein virus (BNYVV) (Benyvirus)  
 Belladonna mottle virus (BeMV) (Tymovirus)  
 Bermuda grass etched-line virus (BELV) (Marafivirus)  
 Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)  
 Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)  
 Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)  
 Black raspberry latent ilarvirus  
 Black raspberry necrosis virus (BRNV)  
 Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)  
 Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)  
 Blueberry necrotic shock virus (BlShV) (ilarvirus)  
 Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)  
 Blueberry scorch virus (BBScV) (carlavirus)  
 Blueberry shoestring virus (BSSV) (sobemovirus)  
 Broad bean B virus  
 Broad bean necrosis virus (BBNV) (Pomovirus)  
 Broad bean severe chlorosis virus (Closteroviridae, closterovirus)  
 Broad bean stain virus (BBSV) (Comoviridae, comovirus)  
 Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)  
 Broad bean wilt virus (BBWV) (Comoviridae, fabavirus)  
 Broad bean yellow ringspot virus  
 Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)  
 Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)  
 Brome mosaic virus (BMV) (Bromoviridae, bromovirus)  
 Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)  
 Burdock mosaic virus  
 Burdock mottle virus  
 Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)  
 Cacao necrosis virus (CNV) (Comoviridae, nepovirus)  
 Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)



Cacao yellow mosaic virus (CYMV) (Tymovirus)  
 Cactus virus (CV-2) (Carlavirus)  
 Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)  
 Caper latent virus (CapLV) (Carlavirus)  
 Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)  
 Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)  
 Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)  
 Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)  
 Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)  
 Carnation latent virus (CLV) (Carlavirus)  
 Carnation mottle virus (CarMV) (Carmovirus)  
 Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)  
 Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)  
 Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)  
 Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)  
 Carrot mottle mimic virus (CmoMV) (Umbravirus)  
 Carrot mottle virus (CMoV) (Umbravirus)  
 Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)  
 Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)  
 Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)  
 Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)  
 Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)  
 Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)  
 Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)  
 Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)  
 Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)  
 Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)  
 Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)  
 Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)  
 Cowpea stunt virus (Luteovirus)  
 Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)  
 Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)  
 Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)  
 Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)  
 Cassava virus X (CsVX) (Potexvirus)  
 Cassia mosaic virus  
 Cassia ringspot virus  
 Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)  
 Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)  
 Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)  
 Celery mosaic virus (CeMV) (Potyviridae, potyvirus)  
 Cereal northern mosaic virus (NCMV) (cytorhabdovirus)  
 Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)  
 Cassava common mosaic virus (CsCMV) (Potexvirus)  
 Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)  
 Cherry green ring mottle virus (CGRMV) (Foveavirus)  
 Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)  
 Cherry mottle leaf virus (CMLV) (Trichovirus)  
 Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)  
 Cherry virus A (CVA) (Capillovirus)  
 Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)  
 Chickpea distortion mosaic virus (Potyviridae, potyvirus)  
 Chicory virus (ChVX) (potexvirus)

Chicory yellow mottle virus (ChYMV)(Comoviridae, nepovirus)  
 Chino del tomate virus (CdTV) (Geminiviridae, bigeminivirus)  
 Chloris striate mosaic virus (CSMV)( Geminiviridae, monogeminivirus)  
 Chrysanthemum virus B (CVB) (Carlavirus)  
 Citrus blight disease  
 Citrus leprosis virus (CiLV) (Rhabdoviridae)  
 Citrus yellow mosaic virus (CiYMV) (Caulimoviridae, Badnavirus)  
 Citrus leaf rugose virus (CiLRV) (Rhabdoviridae, ilarvirus)  
 Citrus ringspot virus  
 Citrus variegation virus (CVV) (Bromoviridae, ilarvirus)  
 Clitoria yellow vein virus (CYVV) (Tymovirus)  
 Clover mild mosaic virus  
 Clover wound tumor virus (WTV) (Phytoreovirus)  
 Clover yellow mosaic virus (CIYMV) (potexvirus)  
 Clover yellows virus (CYV) (Closteroviridae, closterovirus)  
 Clover yellow vein virus (CIYVV) (Potyviridae,potyvirus)  
 Cocksfoot mottle virus (CoMV) (Sobemovirus)  
 Coconut foliar decay virus (CFDV) (Nanavirus)  
 Commelina diffusa virus (Potyviridae, potyvirus)  
 Commelina mosaic virus (ComMV) (Potyviridae, potyvirus)  
 Commelina virus X (ComVX) (potexvirus)  
 Commelina yellow mottle virus (ComYMV) (Caulimoviridae,badnavirus)  
 Cocksfoot mild mosaic virus (CoMV) (Sobemovirus)  
 Cocoa mottle leaf virus  
 Cocoa necrosis virus (CoNV) (Comoviridae, Nepovirus)  
 Cocoa swollen shoot virus (CSSV) (Caulimoviridae, Badnavirus)  
 Cocoa yellow mosaic virus  
 Colombian datura virus (CDV) (Potyviridae, Potyvirus)  
 Coriander feathery red vein virus (CFRVV) (Rhabdoviridae, nucleorhabdovirus)  
 Cotton leaf curl virus (CLCuV) (Geminiviridae, Begomovirus)  
 Cotton leaf crumple virus (CLCrV) (Geminiviridae,bigeminivirus )  
 Cowpea mild mottle virus (CPMMV) (Carlavirus)  
 Crimson clover latent virus (CCLV) (Comoviridae, nepovirus)  
 Crinum mosaic virus (CriMV) (Potyviridae, potyvirus)  
 Croton yellow vein mosaic virus (CYVMV) (Geminiviridae, bigeminivirus )  
 Cucumber leaf spot virus (CLSV) (Tombusviridae, carmovirus)  
 Cucumber necrosis virus (CuNV) (Tombusviridae, tombusvirus)  
 Cucumber soil-borne virus (CuSBV) (Tombusviridae, carmovirus)  
 Cucumber vein yellowing virus (CVYV)  
 Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)  
 Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)  
 Cynodon chlorotic streak virus  
 Cynosurus mottle virus (CnMoV) (Sobemovirus)  
 Dahlia mosaic virus (DMV) (Caulimoviridae,caulimovirus )  
 Dandelion latent virus (DaLV) (Carlavirus)  
 Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)  
 Daphne virus X (DVX) (Potexvirus)  
 Daphne virus Y (DVY) (Potyviridae, potyvirus)  
 Datura Colombian virus (CDV) (Potyviridae, potyvirus)  
 Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)  
 Datura necrosis virus ( DNV) (Potyviridae, potyvirus)  
 Datura shoestring virus (DSTV) (Potyviridae, potyvirus)  
 Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)

Datura distortion virus  
 Datura enation mosaic virus  
 Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)  
 Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)  
 Desmodium yellow mottle virus (DYMV) (Tymovirus)  
 Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)  
 Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)  
 Dioscorea alata virus (Potyviridae, potyvirus)  
 Dioscorea bacilliform virus (DBV) ((Caulimoviridae, badnavirus)  
 Dioscorea green banding mosaic virus (Potyviridae, potyvirus)  
 Dodonaea yellows-associated virus  
 Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)  
 Dulcamara mottle virus (DuMV) (Tymovirus)  
 Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)  
 Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)  
 Elderberry virus (EV)(Carlavirus 1)  
 Epirus cherry virus (EpCV) (Ourmiavirus)  
 Erysimum latent virus (ErLV) (Tymovirus)  
 Dulcamara mottle virus (DuMV) (Tymovirus)  
 Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)  
 Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)  
 European wheat striate mosaic virus (EWSMV) (Tenuivirus)  
 Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)  
 Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)  
 Faba bean necrotic yellows virus (FBNYV) (Nanovirus)  
 Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)  
 Fig virus S (FVS) (Carlavirus)  
 Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)  
 Foxtail mosaic virus (FoMV) (Potexvirus)  
 Frangipani mosaic virus (FrMV) (Tobamovirus)  
 French bean mosaic virus  
 Freesia leaf necrosis virus (FLNV) (Varicosavirus)  
 Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)  
 Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)  
 Glycine mosaic virus (GMV) (Comoviridae, Comovirus)  
 Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)  
 Grapevine asteroid mosaic virus  
 Grapevine berry inner necrosis virus (GINV) (Trichovirus)  
 Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)  
 Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)  
 Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)  
 Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)  
 Grapevine vein necrosis virus  
 Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)  
 Grapevine fleck virus (GFkV)  
 Grapevine stunt virus  
 Groundnut chlorotic leaf streak virus  
 Groundnut chlorotic spotting virus  
 Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)  
 Groundnut rosette virus (GRV) (Umbravirus)  
 Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)  
 Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)  
 Guar top necrosis virus

Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)  
 Helenium virus S (HVS) (Carlavirus)  
 Helenium virus Y (HVY) (Potyviridae, Potyvirus)  
 Henbane mosaic virus (HBMV) (Potyviridae, Potyvirus)  
 Heracleum latent virus (HLV) (Vitivirus)  
 Hibiscus latent ringspot virus (HLRSV) (Comoviridae, nepovirus)  
 Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)  
 Honeysuckle latent virus (LnLV) (Carlavirus)  
 Hop American latent (AHLV) (Carlavirus)  
 Hop latent virus (HpLV) (Carlavirus)  
 Hop mosaic virus (HpMV) (Carlavirus)  
 Hop trefoil cryptic virus 1 (HTCV-1)(Partitiviridae, alphacryptovirus)  
 Hop trefoil cryptic virus 2 (HTCV-2)(Partitiviridae, betacryptovirus)  
 Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)  
 Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)  
 Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)  
 Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)  
 Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)  
 Hydrangea ringspot virus (HRSV) (Potexvirus)  
 Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)  
 Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)  
 Iris Japanese necrotic ring virus  
 Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)  
 Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)  
 Impatiens necrotic spot virus (INSV) (Bunyaviridae, Tospovirus)  
 Indian peanut clump virus (IPCV) (Pecluvirus)  
 Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)  
 Iranian maize mosaic virus  
 Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)  
 Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)  
 Kalanchoe isometric virus  
 Kalanchoe latent virus (KLV)(Carlavirus)  
 Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)  
 Kennedyya yellow mosaic virus (KYMV) (Tymovirus)  
 Kennedyya virus Y (KVY) (Potyviridae, Potyvirus)  
 Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)  
 Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)  
 Kober stem grooving  
 Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)  
 Lato River virus (LRV) ((Tombusviridae, tombusvirus)  
 Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)  
 Lettuce big-vein virus (LBVV) (Varicosavirus)  
 Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)  
 Lettuce necrotic yellows virus (LNYV)(Rhabdoviridae, cytorhabdovirus)  
 Lettuce speckles mottle virus (LSMV) (Umbravirus)  
 Lilac chlorotic leafspot virus (LCLV)(Capillovirus)  
 Lilac mottle virus (LiMV) (Carlavirus)  
 Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)  
 Lily mottle virus (LMoV) (Potyviridae, potyvirus)  
 Lily virus X (LVX) (Potexvirus)  
 Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)  
 Limbean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)  
 Little cherry virus (LChV) (Closteroviridae, Closterovirus)

LN33 stem grooving  
 Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)  
 Lucerne vein yellowing virus  
 Lucerne transient streak virus (LTSV) (Sobemovirus)  
 Lychnis ringspot virus (LRSV) (Hordeivirus)  
 Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)  
 Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)  
 Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)  
 Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus )  
 Maize line virus  
 Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)  
 Maize rayado fino virus (MRFV) (Marafivirus)  
 Maize white line mosaic virus (MWLMV)  
 Maize mottle/chlorotic stunt virus  
 Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)  
 Maize streak virus (MSV) (Genimiviridae, Mastrevirus)  
 Malvastrum mottle virus  
 Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)  
 Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)  
 Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)  
 Melon leaf curl virus(MLCV) (Geminiviridae, bigeminivirus)  
 Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)  
 Melon Ourmia virus (OuMV) (Ourmiavirus)  
 Melon rugose mosaic virus (MRMV) (Tymovirus)  
 Milk vetch dwarf virus (MDV) (Nanovirus)  
 Mimosa mosaic virus  
 Mirabilis mosaic virus (MiMV) (Caulimovirus)  
 Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)  
 Mulberry latent virus (MLV) (Carlavirus)  
 Mulberry ringspot virus (MRSV)( Comoviridae, nepovirus)  
 Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)  
 Muskmelon vein necrosis virus (MuVNV)(Carlavirus)  
 Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)  
 Narcissus latent virus (NLV)(Potyviridae, macluravirus)  
 Narcissus mosaic virus (NMV) (Potexvirus)  
 Narcissus yellow stripe virus (Potyviridae, potyvirus)  
 Neckar River virus (NRV) (Tombusviridae, tombusvirus)  
 Nerine latent virus (NeLV) (Carlavirus)  
 Nerine virus (NV) (Potyviridae, potyvirus)  
 Nerine virus X(NVX) (Potexvirus )  
 Northern cereal mosaic virus (NCMV) (Rhabdoviridae, Cytorhabdovirus)  
 Oak ringspot virus  
 Oat blue dwarf virus (OBDV) (Marafivirus)  
 Oat golden stripe virus (OGSV) (Furovirus)  
 Oat mosaic virus (OMV)(Potyviridae, bymovirus)  
 Oat necrotic mottle virus (ONMV) (Potyviridae, rymovirus)  
 Oat red streak mosaic virus  
 Oat sterile dwarf virus (OSDV) (Reoviridae, Fijivirus)  
 Okra leaf-curl virus(OLCV) (Geminivirus, bigeminivirus)  
 Okra mosaic virus (OkMV) (Tymovirus)  
 Olive latent ringspot virus (OLRSV) (Comoviridae, nepovirus)  
 Ononis yellow mosaic virus ( OYMV)(Tymovirus)  
 Opuntia Sammons' virus (SOV) (Tobamovirus)

Pangola stunt virus (PaSV)(Reoviridae, Fijivirus)  
 Panicum streak virus (PanSV) (Geminiviridae, monogeminivirus)  
 Paprika mild mottle virus (PaMMV) (Tobamovirus)  
 Parietaria mottle virus (PmoV)(Bromoviridae, ilarvirus)  
 Parsnip leafcurl virus  
 Parsnip mosaic virus (ParMV)  
 Parsnip yellow fleck virus (PYFV)(Sequiviridae, sequivirus)  
 Paspalum striate mosaic virus (PSMV)(Geminiviridae, monogeminivirus)  
 Passiflora latent virus (PLV)(Carlavirus)  
 Passiflora South African virus (Potyviridae, potyvirus)  
 Passiflora ringspot virus (PFRSV) (Potyviridae, potyvirus)  
 Passionfruit woodiness virus (PWV) (Potyviridae, potyvirus)  
 Passionfruit yellow mosaic virus (PaYMV)(Tymovirus)  
 Patchouli mosaic virus (Potyviridae, potyvirus)  
 Pea early browning virus (PEBV) (Tobravirus)  
 Pea enation mosaic virus-1 (PEMV-1) (Luteovirus)  
 Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)  
 Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus )  
 Pea mosaic virus (Potyviridae, potyvirus)  
 Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)  
 Peanut green mosaic virus (Potyviridae, potyvirus)  
 Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)  
 Peanut yellow spot virus (PeYMV) (Tospovirus)  
 Peach American mosaic virus  
 Peach mosaic virus (PMV) (Trichovirus)  
 Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)  
 Peanut clump virus (PCV) (Pecluvirus)  
 Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscavirioid)  
 Pear necrotic spot virus  
 Plum bark split virus  
 Plum pox virus (PPV) (Potyviridae, Potyvirus)  
 Plum rusty blotch  
 Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)  
 Potato deforming mosaic virus  
 Potato mop-top virus (PMTV) (Pomovirus)  
 Potato spindle tuber viroid (PSTVd) (Pospiviroidae, Pospiviroid)  
 Potato virus T (PVT) (Trichovirus)  
 Potato virus U (PVU) (Comoviridae, Nepovirus)  
 Potato virus V (PVV) (Potyviridae, Potyvirus)  
 Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)  
 Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)  
 Potato yellowing virus  
 Prune dwarf virus (PDV) (Bromoviridae, Iilarvirus)  
 Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Iilarvirus)  
 Raspberry leaf curl virus  
 Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)  
 Red clover mottle virus (RCMV) (Comoviridae, Comovirus)  
 Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)  
 Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)  
 Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)  
 Rice yellow mottle virus (RYMV) (Sobemovirus)  
 Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)  
 Squash mosaic virus (SqMV) (Comoviridae, Comovirus)

Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)  
 Tobacco rattle virus (TRV) (Tobravirus)  
 Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)  
 Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)  
 Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)  
 Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)  
 Tomato yellow leaf curl virus (TYLCV) (Geminiviridae, Begomovirus)  
 Ullucus virus C (UVC)(Comoviridae,comovirus)  
 Ullucus mild mottle virus (UMMV)(Tobamovirus)  
 Ullucus mosaic virus (UMV) (Potyviridae,potyvirus)  
 Urd bean leaf crinkle virus  
 Vallota mosaic virus (ValMV ) (Potyviridae,potyvirus)  
 Vanilla mosaic virus (VanMV ) (Potyviridae, potyvirus)  
 Vanilla necrosis virus(Potyviridae, potyvirus)  
 Velvet tobacco mottle virus (VTMoV )(Sobemovirus)  
 Viola mottle virus (VMV )(Potexvirus)  
 Voandzeia distortion mosaic virus (Potyviridae, potyvirus)  
 Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)  
 Watercress yellow spot virus (WYSV)  
 Watermelon chlorotic stunt virus (WmCSV)(Geminiviridae,bigeminivirus)  
 Watermelon curly mottle virus (WmCMV)(Geminiviridae, bigeminivirus)  
 Watermelon mosaic virus 2(WMV-2) (Potyviridae, potyvirus)  
 Wheat American striate mosaic virus (WASMV )(Rhabdovirus, nucleorhabdovirus)  
 Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)  
 Wheat dwarf virus (WDV) (Geminiviridae,monogeminivirus)  
 Wheat soil-borne mosaic virus (SBWMV)(Furovirus)  
 Wheat streak mosaic virus (WSMV)(Potyviridae, rymovirus)  
 Wheat spindle streak mosaic virus (WSSMV) (Potyviridae,bymovirus)  
 Wheat yellow mosaic virus (WYMV)(Potyviridae, bymovirus)  
 White clover mosaic virus(WCIMV )(Potexvirus)  
 Wild cucumber mosaic virus (WCMV )(Tymovirus)  
 Wild potato mosaic (WPMV ) (Potyviridae, Potyvirus)  
 Wineberry latent virus (WLV)  
 Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)  
 Yam mosaic virus (YMV) (Potyviridae, Potyvirus)  
 Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)  
 Remark: The vectors of above virus are also under restricted.

#### Phytoplasma ( 79 )

Alder yellows AIY	Clover phyllody CPh
American aster yellows AAY	Clover proliferation CP
Annual blue grass white leaf ABGWL	Clover yellow edge CYE
Apple proliferation AT, AP-A	Coconut lethal yellows LY, LY3
Ash yellows AshY	Dwarf aster yellows DAY
Aster yellows AY	Eastern aster yellows NAY
Australian grapevine yellows AUSGY	Eggplant dwarf ED
Bermudagrass white leaf BGWL	Elm witches'-broom ULW
Black alder witches'-broom BAWB	Elm yellows
Blueberry stunt BBS1 BBS3	Eucalyptus little leaf
Celery yellows CelY	European aster yellows EAY
Cherry lethal yellows CLY	European stone fruit yellows PPER
Chrysanthemum yellows CY	Faba bean phyllody FBP

Garland chrysanthemum WB GCW  
 Gentian witches'-broom GW  
 Gladiolus yellows GLY  
 Goldenrod yellows GRY (GR1)  
 Grapevine yellows  
 Grey dogwood witches'-broom GD1  
 Hydrangea phyllody HyPH1  
 Hydrangea virescence  
 Ipomoea witches'-broom IOB  
 Jujube witches'-broom JWB  
 Leafhopper-borne BVK  
 Lilac witches'-broom LiWB  
 Loofah witches'-broom LfWB  
 Maize bushy stunt MBS  
 Marguerite yellows MY  
 Maryland aster yellows AY1  
 Mexican periwinkle virescence MPV  
 Michigan aster yellows MIAY  
 Milkweed yellows MWY (MW1)  
 Mitsuba witches'-broom JHW  
 Mulberry dwarf MD  
 New Jersey aster yellows NJAY  
 Oklahoma aster yellows OKAY1  
 Onion yellows OAY (OA)  
 Peach yellow leaf roll PYLR  
 Pear decline PD  
 Pecan bunch PB

Periwinkle little leaf CN1  
 Periwinkle virescence VR, BLTVA  
 Phormium yellow leaf PYL  
 Plum leptonecrosis PLN  
 Potato yellows  
 Primula yellows PY  
 Ranunculus phyllody RPh  
 Rice yellow dwarf RYD  
 Rubus stunt RS  
 Spiraea stunt SP1  
 Stolbur STOL  
 Strawberry green petal  
 Sugarcane grassy shoot SCGS  
 Sunhemp witches'-broom SUNHP  
 Sweet potato little leaf SPLL  
 Sweet potato witches'-broom SPWB  
 Tanzanian coconut lethal decline LDT  
 Tomato big bud  
 Tomato yellows TY  
 Tsuwabuki witches'-broom TW  
 Vaccinium witches'-broom VAC  
 Walnut witches'-broom WWB  
 Western aster yellows SAY, TLAY  
 Witches'-broom of lime WBDL  
 X-disease  
 Yucatan coconut lethal decline LDY

#### Nematode ( 53 )

Anguina tritici  
 Aphelenchoides aradhidis  
 Aphelenchoides bicaudatus  
 Aphelenchoides fragariae  
 Aphelenchoides goodeyi  
 Aphelenchoides rizemabosi  
 Aphelenchoides suipingensis  
 Belonolaimus gracilis  
 Belonolaimus longicaudatus  
 Bursaphelenchus muconatus  
 Bursaphelenchus xylophilus  
 Ditylenchus triformis  
 Dolichodorus heterocephalus  
 Globodera pallida  
 Globodera tabacum  
 Hemicycliophora arenaria  
 Hemicycliophora nudata  
 Heterodera glycines  
 Heterodera goettingiana  
 Heterodera sacchari  
 Heterodera schachtii  
 Heterodera zeae  
 Hirschmanniella gracilis

Hirschmanniella imamuri  
 Hirschmanniella magna  
 Hirschmanniella miticausa  
 Hirschmanniella spinicaudata  
 Hoploaimus spp.  
 Longidorus elongatus  
 Longidorus jiangsuensis  
 Meloidogyne fugianensis  
 Meloidogyne kongi  
 Meloidogyne lini  
 Nacobbus aberrans  
 Paralongidorus spp.  
 Paratrichodorus minor  
 Paratrichodorus porosus  
 Pratylenchus convallariae  
 Pratylenchus goodeyi  
 Pratylenchus indicus  
 Pratylenchus laticauda  
 Pratylenchus penetrans  
 Pratylenchus pratensis  
 Pratylenchus vulnus  
 Pratylenchus zeae  
 Radopholus citri



Rhadinaphelenchus cocophilus  
Scutellonema bradys  
Trichodorus spp.  
Xiphinema bricolense

Xiphinema californicum  
Xiphinema diversicaudatum  
Xiphinema index

Weed ( 146 )

Acanthospermum hispidum DC.  
Agropyron repens (L.)Beauv. (syn. Triticum repens L.)  
Alopecurus aequalis Sobol.  
Amaranthus dubius Mart.  
Amaranthus gracilis Desf.  
Amaranthus hybridus L.  
Amaranthus retroflexus L.  
Ambrosia psilostachya DC.  
Ambrosia trifida L.  
Ammi majus L.  
Anthemis cotula L.  
Andropogon virginicus L.  
Ardisia elliptica Thunb.  
Asphodelus tenuifolius Cav.  
Avena sterilis L.  
Boerhavia erecta L.  
Brachiaria eruciformis (J. E. Sm.) Griseb.  
Brachiaria plantaginea (Link) Hitchc.  
Brassica kaber (DC.) L.C.Wheeler var. pinnatifida (Stokes), L.C.Wheeler (syn. Sinapis arvensis L., Brassica arvensis, Brassica kaber)  
Brassica nigra (L.) Koch  
Bromus secalinus L.  
Bromus tectorum L.  
Cardaria draba (L.)Desv. (Lepidium draba L.)  
Carduus nutans L.  
Carduus pycnocephalus L.  
Cardiospermum grandiflorum Sw.  
Cecropia obtusifolia Bertol.  
Cecropia peltata L.  
Centaurea repens L.  
Centaurea solstitialis L.  
Cephalaria syriaca (L.) Schrad.  
Cerastium arvense L.  
Chenopodium murale L.  
Chenopodium opulifolium Schrad.  
Chondrilla juncea L.  
Cirsium arvense (L.)Scop.  
Cirsium lanceolatum Hill  
Cirsium vulgare (Savi) Tenore  
Cleome monophylla L.  
Clidemia hirta (L.) D. Don  
Conium maculatum L.  
Convolvulus arvensis L.  
Cordia alliodora (Ruiz & Pav.) Oken

Cordia macrostachya Roem & Schlucht.  
Cryptostegia grandiflora R. Br.  
Cuscuta campestris Yuncker  
Cuscuta monogyna Vahl.  
Cyperus esculentus L.  
Datura stramonium L. var. chalybaea Koch  
Digitaria velutina (Forsk.) Beauv.  
Digitaria scalarum (Schweinf.) Chiov  
Echinochloa pyramidalis (Lam.) Hitchc. & A. Chase  
Echinochloa crus-pavonis (H.B.K.) Schult  
Echium plantagineum L.  
Eleocharis palustris (L.)R. Br. (syn. E. filiculmis Schur.)  
Elodea canadensis Michx.  
Emex spinosa (L.) Campdera  
Equisetum arvense L.  
Equisetum palustre L.  
Erodium cicutarium (L.) L. ex W. Ait.  
Euphorbia helioscopia L.  
Euphorbia prunifolia Jacq.(syn. E. geniculata Orteg).  
Galeopsis tetrahit L.  
Galium aparine L.  
Geranium molle L.  
Gladiolus segetum Ker-Gawl.  
Gynandropsis gynandra (L.) Briq.  
Heliotropium europaeum L.  
Hordeum murinum L.  
Hypochoeris radicata L.  
Juncus bufonius L.  
Jussiaea repens L.  
Jussiaea suffruticosa L.  
Jatropha gossypifolia L. var. elegans (Pohl) Muell.-Arg.  
Kallstroemia maxima Gray.  
Lactuca serriola L.  
Lagarosiphon spp.  
Lathyrus aphaca L.  
Lemna minor L.  
Leontodon autumnalis L.  
Lepidium draba L.  
Lithospermum arvense L.  
Lolium temulentum L.  
Malva parviflora L.  
Marsilea quadrifolia L.

Medicago hispida Gaertn.  
 Melastoma malabathricum L.  
 Mercurialis annua L.  
 Miconia calvescens DC.  
 Mikania scandens (L.) Wild.  
 Mimosa pigra L.  
 Monochoria hastata (L.) Solms  
 Mucuna pruriens (L.) DC. var. pruriens Cowitch  
 Murdannia nudiflora (L.) Brenan  
 Myrica faya Ait.  
 Myriophyllum aquaticum (Vell.) Verdc.  
 Myriophyllum brasiliense Camb.  
 Neslia paniculata (L.) Desv.  
 Oryza barthii A. Chev. (syn. O. breviligulata A. Chev. et Roehr.)  
 Oryza officinalis Wall. Ex Watt.  
 Oryza punctata Kotschy ex Steud.  
 Panicum fasciculatum Sw.  
 Passiflora mollissima (H. B. K.) Bailey  
 Passiflora rubra Lam.  
 Pennisetum pedicellatum Trin.  
 Phalaris minor Retz.  
 Phalaris paradoxa L.  
 Pluchea odorata (L.) Cass.  
 Pontederia rotundifolia L. f.  
 Potamogeton natans L.  
 Ranunculus arvensis L.  
 Ranunculus repens L.  
 Raphanus raphanistrum L. (Raphanus arvensis Wallr., Raphanus sylvestris Aschers)  
 Rapistrum rugosum (L.) All.  
 Reseda lutea L.

Richardia brasiliensis Gomez  
 Rubus argutus Link  
 Rubus moluccanus L.  
 Rumex pulcher L.  
 Sagittaria sagittifolia L.  
 Salsola kali L.  
 Schizachyrium condensatum (Kunth) Nees  
 Scirpus grossus L. f.  
 Scirpus maritimus L.  
 Scirpus mucronatus L.  
 Sesbania punicea (Cav.) Benth.  
 Sida spinosa L.  
 Silene gallica L.  
 Sinapis arvensis L.  
 Sisymbrium officinale (L.) Scop.  
 Solanum mauritanum Scopoli  
 Spargula arvensis L.  
 Stachytarpheta urticaefolia (Salisb.) Sims  
 Striga asiatica (L.) O. Ktze.  
 Tagetes minuta L.  
 Thlaspi arvense L.  
 Tibouchina urvilleana (DC) Cogn.  
 Trichachne insulatis (L.) Ness  
 Typha latifolia L.  
 Ulex europaeus L.  
 Urochloa panicoides Beauv.  
 Urtica dioica L.  
 Urtica urens L.  
 Vallisneria spiralis L.  
 Vicia angustifolia L.  
 Xanthium spinosum L.

#### Parasitic Plants ( 12 )

Aeginetia indica	Conopholis striga	Cuscuta campestris
Arceuthobium spp.	Cuscuta major	Orobanche spp.
Arceuthobium americanum	Cuscuta japonica	Phoradendron spp.
Arceuthobium pusillum	Cuscuta indicora	
	Cuscuta planiflora	

#### Mollusca ( 12 )

Achatina achatina	Archachatina ventricosa	Helix aspersa
Achatina fulica	Bradybaena similaaris	Otala lactea
Archachatina degneri	Cepaea nemoralis	Succinea costaricana
Archachatina purpurea	Eobania vermiculata	Theba pisana

#### Agent ( 45 )

African soybean dwarf agent	Apple rosette agent
Apple flat limb agent	Apple rough bark agent
Apple green crinkle agent	Apple star crack agent
Apple ringspot agent	Apricot ring pox agent

Cherry necrotic rusty mottle agent (CNRMV)	Ligustrum mosaic agents
Cherry pink fruit agent	Maple mosaic agent
Cherry rough fruit agent	Maple variegation agent
Cherry rusty mottle (European) agent	Mountain ash ringspot mosaic agent
Cherry short stem agent	Mountain ash variegation agent
Cherry twisted leaf agent	Mulberry mosaic agent
Cotton anthocyanosis agent	Okra mosaic agents
Cotton small leaf agent	Okra yellow leaf curl agent
Euonymus mosaic agents	Peach wart agent
Grapevine Bratislava mosaic agent	Pear bud drop agent
Grapevine chasselas latent agent	Pear rough bark agent
Grapevine enation agent	Pear stony pit agent
Grapevine little leaf agent	Quince sooty ringspot agent
Grapevine vein mosaic agent	Quince stunt agent
Grapevine vein necrosis agent	Quince yellow blotch agent
Hibiscus leaf curl agent	Rose wilt agent
Horsechestnut variegation agent	Sampaguita yellow ringspot mosaic agent
Horsechestnut yellow mosaic agent	Spur cherry agent
Jasmine variegation agents	

11. The wooden packing material used for import commodities should be in compliance with the “Quarantine Requirements for the Importation of Wooden Packaging Material to Taiwan”.

